


## TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency: ....National Disaster Management Authority.....
2. Method of Procurement: .....Open competitive bidding.....
3. Title of Procurement: .....Procurement of Wheel Chairs....
4. Tender Inquiry No.: .....TN-17(2025-26).....
5. Date & Time of Bid Closing: .....19-1-2026 at 1100 hours.....
6. Date & Time of Bid Opening: ...Technical 19-1-2026 at 1130 hours
7. No of Bids Received: .....07.....
8. Criteria for Bid Evaluation: .....As per bidding documents .....
9. Details of Bid(s) Evaluation: .....As detailed below.....

Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.
M/s Tradeline Corporation	Compliant	Detailed evaluation report is attached
M/s Majid Traders	Compliant	
M/s Zeb & Company	Compliant	
M/s Novatek Pakistan	Compliant	
M/s Pak Rose Enterprise	Compliant	
M/s Active Vision (Pvt) Ltd	Non-Compliant	
M/s M.M. Musa Gee International	Non-Compliant	

Signature: 

Official Stamp:

**Abdul Latif**  
.....**Director (Proc)**  
National Disaster Management Authority  
Prime Minister's Office, Islamabad

## Visual Inspection Proforma - Wheel Chair

Ser	Specifications	C/NC	M/s Tradeline Corporation	M/s Majid Traders	M/s Zeb & Co	M/s Novatek Pakistan	M/s Pak Rose Enterprises	M/s Active Vision	M/s M.M Musa Gee International
1.	These specifications define the requirement for robust, foldable, long-life wheelchairs intended for storage in NDMA warehouses for utilization at National / International level.	C/NC	C	C	C	C	C	NC	NC
	Wheelchair must be manual, foldable, and heavy-duty.	C/NC	C	C	C	C	C	NC	NC
	Designed for long shelf life (minimum 10 years) under warehouse conditions.	C/NC	C	C	C	C	C	NC	NC
	Must be suitable for air/sea cargo shipment	C/NC	C	C	C	C	C	NC	NC
	Manufacturer must provide datasheet and 2-year warranty.	C/NC	C	C	C	C	C	NC	NC
2.	Material: Aluminum Alloy (lightweight) or Stainless Steel.	C/NC	C	C	C	C	C	NC	NC
	Joints: TIG welded / seamless welding.	C/NC	C	C	C	C	C	NC	NC
	Surface finish: Powder-coated, corrosion-resistant	C/NC	C	C	C	C	C	NC	NC
	No sharp edges: all metal parts rust-protected.	C/NC	C	C	C	C	C	NC	NC
	Mechanical Strength: Safe Working Load (SWL): Minimum 150 kg.	C/NC	C	C	C	C	C	NC	NC
3.	Seat Width: 20 inches ( $\pm 1"$ )	C/NC	C	C	C	C	C	NC	NC
	Seat Depth: 16 inches	C/NC	C	C	C	C	C	NC	NC
	Seat Height: 18–20 inches	C/NC	C	C	C	C	C	NC	NC
	Rear Wheels: 24" solid PU/rubber	C/NC	C	C	C	C	C	NC	NC
	Front Casters: 6–8" solid PU	C/NC	C	C	C	C	C	NC	NC
	Folded Width: $\leq 30$ –35 cm	C/NC	C	C	C	C	C	NC	NC
	Net Weight: 15–20 kg	C/NC	C	C	C	C	C	NC	NC
4.	Seat & Back:								
	Heavy-duty, waterproof, anti-fungal fabric of Dartex material	C/NC	C	C	C	C	C	NC	NC
	Minimum 25 mm closed-cell foam cushion.	C/NC	C	C	C	C	C	NC	NC
	Armrests: Must be made high-density molded plastic.	C/NC	C	C	C	C	C	NC	NC
	Footrests:								
	Should be made of Steel or Aluminum for strength and durability. Must be swing-away and removable		C	C	C	C	C	NC	NC
	Adjustable height with heel straps.	C/NC	C	C	C	C	C	NC	NC
	Tyre: Marathon plus.	C/NC	C	C	C	C	C	NC	NC
	Brakes:								
	Positive locking brakes on rear wheels.	C/NC	C	C	C	C	C	NC	NC
5.	Expected Shelf Life / operation life & Corrosion Resistance	Shelf life of 10 year and operational life of min 5 years while in use and material must resist corrosion for min 10 years in warehouse storage.	C/NC	C	C	C	C	NC	NC

P Duran


A

Serial		Specifications	C/NC	M/s Tradeline Corporation	M/s Majid Traders	M/s Zeb & Co	M/s Novatek Pakistan	M/s Pak Rose Enterprises	M/s Active Vision	M/s M.M Musa Gee International
6.	Quality Standards	Wheelchair should comply with one or more of the following international standards:								
		ISO 7176 series (Wheelchair Performance Standard)	C/NC	C	C	C	C	C	NC	NC
7.	Individual Packing Requirements (Per Wheelchair)	CE Certification (or equivalent)	C/NC	C	C	C	C	C	NC	NC
		Cardboard Box:								
		Heavy-duty 5-ply corrugated carton (export grade)	C/NC	C	C	C	C	C	NC	NC
		Box must be impact-resistant and withstand stacking.	C/NC	C	C	C	C	C	NC	NC
		Internal Protection:								
		Form-cut high-density foam inserts to keep wheelchair fixed and prevent movement.	C/NC	C	C	C	C	C	NC	NC
		Cushion, footrests, small tools to be packed in sealed polythene bags.	C/NC	C	C	C	C	C	NC	NC
		Silica gel (2-4 packets) for moisture control.	C/NC	C	C	C	C	C	NC	NC
		Sealing:								
		Industrial tape sealing on all joints.	C/NC	C	C	C	C	C	NC	NC
		Wrapped externally with stretch film for dust and moisture protection.	C/NC	C	C	C	C	C	NC	NC
8.	Wooden Crate Packing (For Wheelchairs)	Labeling on Box:								
		NDMA colored logo (6x6 inches) to be printed at center of each carton.	C/NC	C	C	C	C	C	NC	NC
		Product name	C/NC	C	C	C	C	C	NC	NC
		Dimensions	C/NC	C	C	C	C	C	NC	NC
		Serial/batch number	C/NC	C	C	C	C	C	NC	NC
		Year of manufacturing	C/NC	C	C	C	C	C	NC	NC
		Shelf life	C/NC	C	C	C	C	C	NC	NC
		Warranty period	C/NC	C	C	C	C	C	NC	NC
		Handling marks (Fragile, This Side Up, Keep Dry)	C/NC	C	C	C	C	C	NC	NC
		Gross/Net weight	C/NC	C	C	C	C	C	NC	NC
		NDMA purchase reference	C/NC	C	C	C	C	C	NC	NC
		'Not for Sale' marking on each carton	C/NC	C	C	C	C	C	NC	NC
		Crate Construction:								
		Made of ISPM-15 treated wood (mandatory for international shipping).	C/NC	C	C	C	C	C	NC	NC
		Strong enough for aircraft cargo and forklift handling.	C/NC	C	C	C	C	C	NC	NC
		Environment: Suitable for stacking, vibration, and rough handling.	C/NC	C	C	C	C	C	NC	NC
		Crate Internal Arrangement:								
		4 individually boxed wheelchairs placed inside crate.	C/NC	C	C	C	C	C	NC	NC
		Foam separators between units to avoid contact damage.	C/NC	C	C	C	C	C	NC	NC
		Internal bracing to prevent movement during transport.	C/NC	C	C	C	C	C	NC	NC



P.Durrani

AS

Ser	Specifications	C/NC	M/s Tradeline Corporation	M/s Majid Traders	M/s Zeb & Co	M/s Novatek Pakistan	M/s Pak Rose Enterprises	M/s Active Vision	M/s M.M Musa Gee International
	<b>External Marking</b>								
	Contents (Wheelchairs 4 Nos)	C/NC	C	C	C	C	NC	NC	
	Gross/Net weight	C/NC	C	C	C	C	NC	NC	
	NDMA in words and NDMA logo (in colored) size 6x6 inches.	C/NC	C	C	C	C	NC	NC	
	Fragile symbols (if required)	C/NC	C	C	C	C	NC	NC	
9.	<b>Documentation</b>	<b>Supplier will provide:</b>							
	Warranty (minimum 2 year)	C/NC	C	C	C	C	NC	NC	
	Packing list	C/NC	C	C	C	C	NC	NC	
	User Manual (English)	C/NC	C	C	C	C	NC	NC	
10.	<b>NDMA &amp; Manufacturing / Supplier Marking</b>	Every wheelchair shall include a tag printed under the fold of the seat, with a size of 3x3 inches, containing manufacturer identification.	C/NC	C	C	C	NC	NC	
	<b>The tag should include:</b>								
	Manufacturer's name	C/NC	C	C	C	C	NC	NC	
	Unique reference (batch) number	C/NC	C	C	C	C	NC	NC	
	Date of manufacturing	C/NC	C	C	C	C	NC	NC	
	No company logo should be included with the manufacturer's marking.	C/NC	C	C	C	C	NC	NC	
	NDMA in words and NDMA logo, size 4x4, must be printed on the front and back rest of seat.	C/NC	C	C	C	C	NC	NC	
11.	<b>Lab Testing</b>	NDMA may conduct Lab test from any accredited Lab to ascertain the material quality of product if required.	C/NC	C	C	C	C	NC	NC
	Compliance / Non-Compliance		Compliance	Compliance	Compliance	Compliance	Compliance	Non-Compliance	Non-Compliance

  
 Deputy Manager (Log), NDMA Member

  
 Director (Legal), NDMA Member

  
 Director (Log), NDMA Secretary  
  
 Member (Ops), NDMA President Technical Committee