

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1.	Name of Procuring Agency:National Disaster Management Authority.....
2.	Method of Procurement:Open competitive bidding.....
3.	Title of Procurement:Restocking of Relief Items....
4.	Tender Inquiry No.:TN-13 (2025-26).....
5.	Date & Time of Bid Closing:18-11-2025 at 1100 hours.....
6.	Date & Time of Bid Opening:	...Technical 18-11-2025 at 1130 hours
7.	No of Bids Received:19.....
8.	Criteria for Bid Evaluation:As per bidding documents
9.	Details of Bid(s) Evaluation:As detailed below.....

Ser	Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.	
LOT # 1 (WATER TANK)				
1.	M/s Bataan Group of Services	Compliant	Detailed evaluation report is attached	
2.	M/s Majid Traders	Compliant		
LOT # 2 (ULTRA FILTRATION WATER PLANT)				
1.	M/s Bataan Group of Services	Compliant		
2.	M/s Nayab Enterprises	Non-Compliant		
3.	M/s Majid Traders	Compliant		
4.	M/s Skylark Engineering	Not Participated		
LOT # 3 (LIFE JACKETS)				
1.	M/s Ali Trading Corporation	Non-Compliant		
2.	M/s Cops Enterprises	Compliant		
3.	M/s Pak Rose Enterprises	Compliant		
4.	M/s Samad Rubber Works (Pvt) Ltd	Non-Compliant		
5.	M/s Trade Line Corporation	Compliant		
LOT # 4 (INFLATABLE BOATS)				
1.	M/s Awan Traders	Compliant		
2.	M/s Bataan Group of Services	Compliant		
3.	M/s Samad Rubber Works (Pvt) Ltd	Not Participated		
LOT # 5 (FIBER BOAT WITH OBM)				
1.	M/s Abid Rafiq & Company	Compliant		
LOT # 6 (DE-WATERING PUMPS)				
1.	M/s Cops Enterprises	Non-Compliant		
2.	M/s Nayab Enterprises	Compliant		
3.	M/s Trade Line Corporation	Compliant		
4.	M/s Majid Traders	Compliant		

Signature:



Official Stamp:

Abdul Latif

Director (Proc)

National Disaster Management Authority

Prime Minister's Office Islamabad

VISUAL INSPECTION PROFORMA – WATER TANK


Ser	Specifications	C/NC	M/s Bataan Group of Services	M/s Majid Traders
1.	Easy to be installed and folded	C/NC	C	C
2.	Capacity: 1500 GAL Approx. (5700 Liter)	C/NC	C	C
3.	Diameter: 3.0M	C/NC	C	C
4.	Height: 1.0 M	C/NC	C	C
5.	No of Sides (Frame Sets): 8	C/NC	C	C
6.	Material: 27 oz/yd ² (900 g/m ²) PVC Coated	C/NC	C	C
7.	Gross Weight: minimum 75 Kgs	C/NC	C	C
8.	Valve: PVC ball valve with aluminum camlock coupling and & aluminum dust cap necessary	C/NC	C	C
9.	Water proof & UV resistance	C/NC	C	C
10.	Temperature resistance: -30 Degrees to +70 Degrees	C/NC	C	C
11.	Packing Bag (2 pcs) 1 Wooden pack		C	C
12.	Packing:2 Bags			
13.	Tank Carry Bag. ▪ Made of minimum 18oz/yd ² PVC material. ▪ Safely lifted and transported with 2 to 3 people. ▪ Carrying handles around perimeter, located close to the base/bottom of the carry bag. ▪ Labeled with serial number & size of the tank. ▪ Enclosed with a rolled up top and buckle system. ▪ Dimensions: 55" H, 40" Diameter (1.4m H,1.0m Diameter) ▪ Weight minimum 7 kg	C/NC	C	C
14.	Frame Set Carry Bag for Storage of Support Frame (8+2) Sets ▪ Made of minimum 18oz/yd ² PVC material. ▪ Safely lifted and transported with 2 to 3 people. ▪ Labeled with serial number and the size of the tank. ▪ Enclosed with the large flap	C/NC	C	C

Xai 12

Seq.	Specifications	C/NC	M/s Bataan Group of Services	M/s Majid Traders
	<ul style="list-style-type: none"> ▪ 2x belt/buckle system to secure the frames while in upright position. ▪ Dimensions: 50" L, 22" Diameter (1.27cm L, 1.0m Diameter) ▪ Weight minimum 4 kg 			
15.	<p>Accessories.</p> <ul style="list-style-type: none"> ▪ 2 PVC ball valve with aluminum camlock coupling and & aluminum dust cap necessary Valve with each packing. ▪ Printed booklet on use / maintenance of product. ▪ Warranty Card of each product must be included. ▪ Protective Tarpaulin ground sheet of 4.0M Length and 4.0M Width. 	C/NC	C	C
16.	<p>Repair Kit Contents:</p> <ul style="list-style-type: none"> ▪ 1x 8oz Can of Patch cement with MSDS ▪ 4x circles of coated bladder material. ▪ 4x circles of liner material ▪ 1x roller ▪ 1x knife ▪ 1x rubber mallet ▪ 1x set of Allen keys and 2 pins ▪ 1x Operating Guidelines 	C/NC	C	C
17.	<p>Packing</p> <p>The open parts of the Tank to be covered with proper packing material (wrapping) to avoid any scratches or damage. 2 Bags are used for one tank. Both bags to be packed in wooden box.</p>	C/NC	C	C
18.	<p>Expected Life Span and Warrantee</p> <p>The collapsible modular frame Water tanks are expected to have a minimum lifespan of 08 to 10 years. There must be after sales service guarantee / warrantee for at least 3 x years.</p>	C/NC	C	C
19.	<p>Manufacturing / Supplier Marking</p> <p>Every Water tank shall include a tag, printed in any part of tank with size of 20 x 20 cm, with the manufacturer identification. The tag should include the manufacturer's</p>	C/NC	C	C

Kuui
8/12

Spec	Specifications	C/NC	M/s Bataan Group of Services	M/s Majid Traders
	name, unique reference batch number and date of manufacturing. No company log should be included with manufacturer's marking.			
20. NDMA Logo	“NDMA Logo” to be embossed with size of 30X30CM on front side of the Tanks”.	C/NC	C	C
21. Manufacturer	Manufacturer / Authorized dealer or Distributer	C/NC	C	C
Compliance / Non Compliance			Compliance	Compliance



Deputy Manager (Log), NDMA
Member

Director (Legal), NDMA
Member

(On leave)



Director (Log), NDMA
Secretary



Member (Ops), NDMA
President Technical Committee

3/12/25

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency:	...National Disaster Management Authority.....
2. Method of Procurement:Open competitive bidding.....
3. Title of Procurement:Restocking of Relief Items....
4. Tender Inquiry No.:TN-13 (2025-26).....
5. Date & Time of Bid Closing:18-11-2025 at 1100 hours.....
6. Date & Time of Bid Opening:	...Technical 18-11-2025 at 1130 hours
7. No of Bids Received:19.....
8. Criteria for Bid Evaluation:As per bidding documents
9. Details of Bid(s) Evaluation:As detailed below.....

Ser	Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.	
LOT # 1 (WATER TANK)				
1.	M/s Bataan Group of Services	Compliant	Detailed evaluation report is attached	
2.	M/s Majid Traders	Compliant		
LOT # 2 (ULTRA FILTRATION WATER PLANT)				
1.	M/s Bataan Group of Services	Compliant		
2.	M/s Nayab Enterprises	Non-Compliant		
3.	M/s Majid Traders	Compliant		
4.	M/s Skylark Engineering	Not Participated		
LOT # 3 (LIFE JACKETS)				
1.	M/s Ali Trading Corporation	Non-Compliant		
2.	M/s Cops Enterprises	Compliant		
3.	M/s Pak Rose Enterprises	Compliant		
4.	M/s Samad Rubber Works (Pvt) Ltd	Non-Compliant		
5.	M/s Trade Line Corporation	Compliant		
LOT # 4 (INFLATABLE BOATS)				
1.	M/s Awan Traders	Compliant		
2.	M/s Bataan Group of Services	Compliant		
3.	M/s Samad Rubber Works (Pvt) Ltd	Not Participated		
LOT # 5 (FIBER BOAT WITH OBM)				
1.	M/s Abid Rafiq & Company	Compliant		
LOT # 6 (DE-WATERING PUMPS)				
1.	M/s Cops Enterprises	Non-Compliant		
2.	M/s Nayab Enterprises	Compliant		
3.	M/s Trade Line Corporation	Compliant		
4.	M/s Majid Traders	Compliant		

Signature:



Official Stamp:

Abdul Latif
 Director (Proc)
 National Disaster Management Authority
 Prime Minister's Office, Islamabad

VISUAL INSPECTION PROFORMA – ULTRA FILTRATION WATER PLANT

Ser	Specification	Detail	C/NC	M/s Bataan Group of Services	M/s Nayab Enterprises	M/s Majid Traders	M/s Skylark Engineering
1.	Capacity	Min 500-1000 LPH	C/NC	C	C	C	Not Participated
2.	Population Served	3000-4000 People	C/NC	C	C	C	"
3.	Energy types	Electrical + Solar	C/NC	C	C	C	"
4.	Feed water	300-500 (Nephelometric Turbidity Units- NTU)- Flood/Rain Water	C/NC	C	C	C	"
5.	Point of Use	Headers with 4 Taps	C/NC	C	NC	C	"
6.	UV disinfection System	Imported / renowned brand	C/NC	C	C	C	"
7.	1- Cartridge + housing - A						
8.	Size	20"	C/NC	C	C	C	"
9.	Filtration Precision	0.02-0.01 Micron	C/NC	C	C	C	"
10.	Jumbo Cartridge	PPF (Polypropylene fiber)	C/NC	C	C	C	"
11.	2- Cartridge + housing - B						
12.	Jumbo Cartridge	PPY (Polypropylene Yarn)	C/NC	C	C	C	"
13.	Size	20"	C/NC	C	C	C	"
14.	Filtration Precision	1 micron - Qty -01	C/NC	C	C	C	"
15.	3-Carbon Treatment Filter	20"	C/NC	C	NC	C	"
16.	UF Membrane						
17.	UF Membrane	Hollow fiber UF Material	C/NC	C	C	C	"
18.	Bacteria Removal	0.01 Micron	C/NC	C	C	C	"
19.	Voltage	220/ 50Hz	C/NC	C	C	C	"
20.	Total Dissolved Solids (TDS) after filtration	Less than 300	C/NC	C	C	C	"
21.	Turbidity after filtration	Less than 5 (Nephelometric Turbidity Units-NTU , as per WHO standard)	C/NC	C	C	C	"
22.	Pressure Gauges /Electric Control	Good quality / Renowned brands	C/NC	C	NC	C	"
23.	Complete Cartridge set	01- Spare set with each unit	C/NC	C	C	C	"
24.	Warranty Period	01 Year	C/NC	C	C	C	"
25.	Spare availability	local (all provinces)	C/NC	C	C	C	"

X and 2/12

Ser	Specification	Detail	C/NC	M/s Bataan Group of Services	M/s Nayab Enterprises	M/s Majid Traders	M/s Skylark Engineering
26.	Training /Maintenance	1-2 months	C/NC	C	C	C	"
27.	Shelf life of filter cartridge	02 Years	C/NC	C	C	C	"
28.	Operation	Plug & Play	C/NC	C	NC	C	"
29.	Operation/Maintenance Manuals	01 set with each plant	C/NC	C	C	C	"
Compliance / Non Compliance				Compliance	Non-Compliance	Compliance	Not Participated


Deputy Manager (Log), NDMA
Member

Director (Legal), NDMA
Member

(on leave)


Director (Log), NDMA
Secretary


Member (Ops), NDMA
President Technical Committee

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1.	Name of Procuring Agency:	...National Disaster Management Authority.....
2.	Method of Procurement:Open competitive bidding.....
3.	Title of Procurement:Restocking of Relief Items....
4.	Tender Inquiry No.:TN-13 (2025-26).....
5.	Date & Time of Bid Closing:18-11-2025 at 1100 hours.....
6.	Date & Time of Bid Opening:	...Technical 18-11-2025 at 1130 hours
7.	No of Bids Received:19.....
8.	Criteria for Bid Evaluation:As per bidding documents
9.	Details of Bid(s) Evaluation:As detailed below.....

Ser	Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.	
LOT # 1 (WATER TANK)				
1.	M/s Bataan Group of Services	Compliant	Detailed evaluation report is attached	
2.	M/s Majid Traders	Compliant		
LOT # 2 (ULTRA FILTRATION WATER PLANT)				
1.	M/s Bataan Group of Services	Compliant		
2.	M/s Nayab Enterprises	Non-Compliant		
3.	M/s Majid Traders	Compliant		
4.	M/s Skylark Engineering	Not Participated		
LOT # 3 (LIFE JACKETS)				
1.	M/s Ali Trading Corporation	Non-Compliant		
2.	M/s Cops Enterprises	Compliant		
3.	M/s Pak Rose Enterprises	Compliant		
4.	M/s Samad Rubber Works (Pvt) Ltd	Non-Compliant		
5.	M/s Trade Line Corporation	Compliant		
LOT # 4 (INFLATABLE BOATS)				
1.	M/s Awan Traders	Compliant		
2.	M/s Bataan Group of Services	Compliant		
3.	M/s Samad Rubber Works (Pvt) Ltd	Not Participated		
LOT # 5 (FIBER BOAT WITH OBM)				
1.	M/s Abid Rafiq & Company	Compliant		
LOT # 6 (DE-WATERING PUMPS)				
1.	M/s Cops Enterprises	Non-Compliant		
2.	M/s Nayab Enterprises	Compliant		
3.	M/s Trade Line Corporation	Compliant		
4.	M/s Majid Traders	Compliant		

Signature:



Official Stamp:

Abdul Latif

Director (Proc)

National Disaster Management Authority
Prime Minister's Office Islamabad

VISUAL INSPECTION PROFORMA – LIFE JACKET

Specs	Specifications	C/NC	M/s Ali Trading Corporation	M/s Cops Enterprises	M/s Pak Rose Enterprises	M/s Samad Rubber Works (Pvt) Ltd	M/s Trade Line Corporation
1. Description/ Design	The life jacket should be worn from back side to front, like any jacket.	C/NC	C	C	C	C	C
	Life jacket should comprise of 3 x separate buoyancy sheets (in three vertical levels), to make the jackets comfortable and secure fit, while allowing freedom of movement. This ease of movement is essentially required during usage.	C/NC	NC	C	C	NC	C
	Ensure provision of long straps and braided nylon cords running from complete back till front.	C/NC	C	C	C	NC	C
	Leg straps should also be available for secure fitting.	C/NC	NC	C	C	NC	C
	The life jacket must have reflecting strips tapes on the back & front side of shoulder	C/NC	NC	C	C	NC	C
	Life jackets must have steel whistle and Torch	C/NC	C	C	C	C	C
	Straps - 3x good quality / strong buckles (Black)	C/NC	NC	C	C	NC	C
2. Material	Colour of Life Jacket should be Orange with NDMA" Logo	C/NC	NC	C	C	NC	C
	EVA Foam / EPDM	C/NC	-	-	-	-	-
	OUTER material/ fabric should be tough and strong to cater for abrasion and impact during use.	C/NC	-	-	-	-	-
	Inner Material should be Polyester coating and should also lightly be rubberized on the inside for additional strength	C/NC	-	-	-	-	-
	The buoyant material should be a rubber- plastic composite closed cell-foam specially developed for floatation vest. The softness of foam is required to provide comfort.	C/NC	-	-	-	-	-
	The foam should be highly impact resistant and very light in weight	C/NC	-	-	-	-	-
	Extremely low-density foam (0.04 – 0.06) to make the vest ultra- light for its bulk.	C/NC	-	-	-	-	-
3. Durability	Life jackets must comply to 150-200 buoyancy with 3 straps fixing.	C/NC	-	-	-	-	-

Colonel
Manzoor Ahmed
 Director (Logistics)
 National Disaster Management Authority
 Prime Minister's Office
 Islamabad

Spec	Specifications		C/NC	M/s Ali Trading Corporation	M/s Cops Enterprises	M/s Pak Rose Enterprises	M/s Samad Rubber Works (Pvt) Ltd	M/s Trade Line Corporation
3.	Size & capacity	40- 45 " (Adult) 75 %	C/NC	NC	C	C	NC	C
		25-30" (Minor) 25 %	C/NC	NC	C	C	NC	C
		Weight carrying - 130 gs (Minimum)	C/NC	NC	C	C	NC	C
4.	Packing and Weight	Life Jackets are to be packed in Cartons, each carton of 5-Ply, containing 10 Life Jackets. Each Jacket is to be first packed in separate polythene cover to avoid dirt and moisture, each polythene bag to be sealed by heat. Then the master bundle of 10 Life Jackets should be covered with polypropylene sheet before placing in carton.	C/NC	NC	C	C	NC	C
5.	Expected Life Span	Since the NDMA life jackets are used in flood emergency and are not operative during normal circumstances. Therefore, the life jackets shall have life span of 5 year minimum while used and 7 years, under normal storage conditions.	C/NC	-	-	-	-	-
6.	Manufacturing / Supplier Marking	Every life jacket shall include a tag, printed in inner fold of jacket with size of 3 x 3 inches, with the manufacturer identification. The tag should include the manufacturer's name, unique reference batch number and date of manufacturing. No company logo should be included with manufacturer's marking.	C/NC	NC	C	C	NC	C
7.	NDMA Logo	NDMA" in words and Logo size 3x3 inch must be printed on front left side and NDMA" in words and Logo size 8x8 inch must be printed on back in center; both in fluorescent colour. Similarly, NDMA logo of 6x6 inch to be printed at Centre of each 5Ply carton.	C/NC	NC	C	C	NC	C
8.	Pre- Delivery Inspection	Vendor will offer pre-delivery inspection at firms' premises during production. NDMA inspection team will conduct inspection of random samples at the premises of manufacturer. Thereafter, vendor will carry out bulk manufacturing and inform inspection team for final go head on dispatch of life jackets to the required NDMA destinations. The inspecting officer may collect random sample and send to designated laboratory of NDMA if required. The Life jackets shall be only dispatched, if accepted by inspection officers.	C/NC	-	-	-	-	-



 Colonel
Manzoor Ahmed
 Director (Logistics)
 National Disaster Management Authority
 Prime Minister's Office
 Islamabad

Ser	Specifications	C/NC	M/s Ali Trading Corporation	M/s Cops Enterprises	M/s Pak Rose Enterprises	M/s Samad Rubber Works (Pvt) Ltd	M/s Trade Line Corporation
9.	Delivery/ Dispatches of Life Jackets	The jackets shall be delivered at the cost of vendor to the designated destination in coordination with Logistics Dte of NDMA. Delivery schedule to be shared with NDMA. All allied charges on account of loading and unloading shall bear by vendor at any destination of NDMA. However, any change in destination to be mutually agreed by vendor and NDMA and shall be timely intimated to vendor for onwards transportation.	C/NC	NC	C	C	NC


P. Duyani

Deputy Manager (Log), NDMA
Member

on the

Director (Legal), NDMA
Member

Director (Log), NDMA
Secretary


Member (Ops), NDMA
President Technical Committee



ARMY STORES INSPECTION DEPOT LAHORE



LAB TEST REPORT

Nomenclature	Life Jacket	Ref: No. 4219/ LAB/LID/	
F/Note No.	F.2(15)/2025-26/NDMA Proc) Dated 10-12-2025		
Nature of Sample	Outer Agency	Temp= 21°C	Humidity= 65%
Lab No. (Code)	A, B & C	Specn	As per Att Data
Date Receipt	12 -12-2025	Date of Reporting	<u>19</u> Dec 2025
No of Sample	03		
Client Name:	M/S NDMA		

SER	DESCRIPTION	RESULTS		
		A	B	C
1	Material of Foam	EVA foam	EVA foam	EVA foam
2	Inner Material	Polyester with coating	Polyester with coating	Polyester with coating
3	Size	42"	42"	44"
4	Weight Carrying Capacity	130 kg	130 kg	130 kg
5	Sinking Time (48 hrs)	Satisfactory	Satisfactory	Satisfactory
6	Straps and Buckle	3 x Straps with strong buckles	3 x Straps with strong buckles	3 x Straps with strong buckles
7	Color	Orange	Orange	Orange

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)

Maj
GO Lab
(Muddassir Ahmed Khan)



ARMY STORES INSPECTION DEPOT

LAHORE




PAYMENT VOUCHER

Nomenclature	Life Jacket	Ref: No. 4219/ LAB/LID/
F/Note No.	F.2(15)/2025-26/NDMA Proc) Dated 10-12-2025	
Nature of Sample	Outer Agency	Temp= 21°C
Lab No. (Code)	A, B & C	Specn
Date Receipt	12 -12-2025	Date of Reporting
No of Sample	03	19 Dec 2025
Client Name:	M/S NDMA	

Test Required	No of Samples	Rate	Amount
Material of Foam	03	3800.00	11400.00
Inner Material	03	3800.00	11400.00
Size	03	1280.00	3840.00
Weight Carrying	03	1280.00	3840.00
Sinking Time	03	2530.00	7590.00
Straps and Buckle	03	2530.00	7590.00
Color	03	1280.00	3840.00
	TOTAL=	16500.00	49500.00

Amount payable in words: (TWENTY FOURTY NINE THOUSAND AND FIVE HUNDRED ONLY)


 Maj
 GO Lab
 (Muddassir Ahmed Khan)

FOR USE IN ADM (FIN) ONLY

Received Payment Rs. _____ (Rupees _____)

By Cash / Cheque No. _____ Dated _____ Drawn on _____

Distribution:

1. Agency Concerned
2. Cashier /Fin Sec

ISO 9001 - 2015

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency:	...National Disaster Management Authority.....
2. Method of Procurement:Open competitive bidding.....
3. Title of Procurement:Restocking of Relief Items....
4. Tender Inquiry No.:TN-13 (2025-26).....
5. Date & Time of Bid Closing:18-11-2025 at 1100 hours.....
6. Date & Time of Bid Opening:	...Technical 18-11-2025 at 1130 hours
7. No of Bids Received:19.....
8. Criteria for Bid Evaluation:As per bidding documents
9. Details of Bid(s) Evaluation:As detailed below.....

Ser	Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.
LOT # 1 (WATER TANK)			
1.	M/s Bataan Group of Services	Compliant	Detailed evaluation report is attached
2.	M/s Majid Traders	Compliant	
LOT # 2 (ULTRA FILTRATION WATER PLANT)			
1.	M/s Bataan Group of Services	Compliant	
2.	M/s Nayab Enterprises	Non-Compliant	
3.	M/s Majid Traders	Compliant	
4.	M/s Skylark Engineering	Not Participated	
LOT # 3 (LIFE JACKETS)			
1.	M/s Ali Trading Corporation	Non-Compliant	
2.	M/s Cops Enterprises	Compliant	
3.	M/s Pak Rose Enterprises	Compliant	
4.	M/s Samad Rubber Works (Pvt) Ltd	Non-Compliant	
5.	M/s Trade Line Corporation	Compliant	
LOT # 4 (INFLATABLE BOATS)			
1.	M/s Awan Traders	Compliant	
2.	M/s Bataan Group of Services	Compliant	
3.	M/s Samad Rubber Works (Pvt) Ltd	Not Participated	
LOT # 5 (FIBER BOAT WITH OBM)			
1.	M/s Abid Rafiq & Company	Compliant	
LOT # 6 (DE-WATERING PUMPS)			
1.	M/s Cops Enterprises	Non-Compliant	
2.	M/s Nayab Enterprises	Compliant	
3.	M/s Trade Line Corporation	Compliant	
4.	M/s Majid Traders	Compliant	

Signature:



Official Stamp:

Abdul Latif
 Director (Proc)
 National Disaster Management Authority
 Prime Minister's Office, Islamabad

VISUAL INSPECTION PROFORMA – INFLATABLE BOAT

Specifications	C/NC	M/s Awan Traders	M/s Bataan Group of Services	M/s Samad Rubber Works (Pvt) Ltd
1. 4-to-5- persons 112x48" 4/pcs Oars 1/Air pump manual	C/NC	C	C	Not Participated
2. 1/Set Puncher with excellent wood with paint / Flat Box	C/NC	C	C	"
3. 4x Paddles per boat	C/NC	C	C	"
4. 4x Life Jackets with NDMA color logo	C/NC	C	C	"
Compliance / Non Compliance		Compliance	Compliance	Not Participated

P.Duram
Deputy Manager (Log), NDMA
Member

Director (Legal), NDMA
Member
(on leave)

J. H. M. M.
Director (Log), NDMA
Secretary

K. Ali M.
Member (Ops), NDMA
President Technical Committee
8/12/25

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency:	...National Disaster Management Authority.....
2. Method of Procurement:Open competitive bidding.....
3. Title of Procurement:Restocking of Relief Items....
4. Tender Inquiry No.:TN-13 (2025-26).....
5. Date & Time of Bid Closing:18-11-2025 at 1100 hours.....
6. Date & Time of Bid Opening:	...Technical 18-11-2025 at 1130 hours
7. No of Bids Received:19.....
8. Criteria for Bid Evaluation:As per bidding documents
9. Details of Bid(s) Evaluation:As detailed below.....

Ser	Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.	
LOT # 1 (WATER TANK)				
1.	M/s Bataan Group of Services	Compliant	Detailed evaluation report is attached	
2.	M/s Majid Traders	Compliant		
LOT # 2 (ULTRA FILTRATION WATER PLANT)				
1.	M/s Bataan Group of Services	Compliant		
2.	M/s Nayab Enterprises	Non-Compliant		
3.	M/s Majid Traders	Compliant		
4.	M/s Skylark Engineering	Not Participated		
LOT # 3 (LIFE JACKETS)				
1.	M/s Ali Trading Corporation	Non-Compliant		
2.	M/s Cops Enterprises	Compliant		
3.	M/s Pak Rose Enterprises	Compliant		
4.	M/s Samad Rubber Works (Pvt) Ltd	Non-Compliant		
5.	M/s Trade Line Corporation	Compliant		
LOT # 4 (INFLATABLE BOATS)				
1.	M/s Awan Traders	Compliant		
2.	M/s Bataan Group of Services	Compliant		
3.	M/s Samad Rubber Works (Pvt) Ltd	Not Participated		
LOT # 5 (FIBER BOAT WITH OBM)				
1.	M/s Abid Rafiq & Company	Compliant		
LOT # 6 (DE-WATERING PUMPS)				
1.	M/s Cops Enterprises	Non-Compliant		
2.	M/s Nayab Enterprises	Compliant		
3.	M/s Trade Line Corporation	Compliant		
4.	M/s Majid Traders	Compliant		

Signature:




Official Stamp:

Abdul Latif
 Director (Proc)
 National Disaster Management Authority
 Prime Minister's Office Islamabad

VISUAL INSPECTION PROFORMA – FIBER BOAT WITH OBM


Ser	Specifications	C/NC	M/s Abid Rafiq & Company
1.	The boat will be fitted with three U- hooks in stainless steel capable to lift the whole weight of the boat when lifted from any single point. The hooks and any other metallic hardware to be used in the hooks will be corrosion resistant and rust proof.	C/NC	C
2.	Length - 24	C/NC	C
3.	Width - 5.6 ft	C/NC	C
4.	Transom Height 2 ft	C/NC	C
5.	Depth - 2.3 feet	C/NC	C
6.	Seating Capacity - 10-12 persons	C/NC	C
7.	Carrying Capacity - 1500-1800 Kgs	C/NC	C
8.	One heavy duty portable LED Searchlight of 3.00 million candle light power with AC220-240V power source.	C/NC	C
9.	In Built Non Skid Surface	C/NC	C
10.	Detail Specifications	4 x Oars(Aluminum)	C/NC C
11.	100 x Meters floatable rope	C/NC	C
12.	1 x Driver seat	C/NC	C
13.	1 x Front storage box	C/NC	C
14.	Hollow type;-Double Hull, Double Wing (Unsinkable)	C/NC	C
15.	Non -slip Deck/Floor	C/NC	C
16.	1 x Tool Kit and Manual Guide	C/NC	C
17.	1 x OBM fixing platform.	C/NC	C
18.	1 x fuel tank	C/NC	C
19.	2 x life rings	C/NC	C
20.	Bollard	C/NC	C
21.	Drain Plugs	C/NC	C
22.	NDMA Logo" on both sides of the boats.	C/NC	C
23.	Life jackets (Qty -06)	C/NC	C
24.	Fire extinguisher – Qty 2	C/NC	C



Ser	Specifications		C/NC	M/s Abid Rafiq & Company
25.	Packing	The open parts of the boats to be covered with proper packing material to avoid any scratches or damage. Accessories are to be separately packed with water proof packing material. Parking / storing pallets to be provided for storing of boats.	C/NC	C
26.	Expected LifeSpan and Warrantee	Since the NDMA rescue boats are used in flood emergency and are not operative during normal circumstances. Therefore, the boats are expected to have a minimum lifespan of 05 years during their usage and 10 years, under normal storage conditions. There must be after sales service guarantee / warrantee for at least 3 x years.	C/NC	C
27.	Manufacturing /Supplier Marking	Every boat shall include a tag, printed in back corner of boats with size of 10 x 10 cm, with the manufacturer identification. The tag should include the manufacturer's name, unique reference batch number and date of manufacturing. No company log should be included with manufacturer's marking.	C/NC	C
28.	NDMA Logo	"NDMA Logo" to be embossed with appropriate size on both sides of the boats. Life jackets with "NDMA logo".	C/NC	C
29.	Engine Power	50 HP to 60 HP	C/NC	C
30.	Engine type	2- Stroke	C/NC	C
31.	Origin	Japan, USA, Europe.	C/NC	C
32.	Starting System	Manual / Auto starter	C/NC	C
33.	Services	3S (Sales , Services, & Spare Parts)	C/NC	C
34.	Fit for salty water	The engine should be fit for use in Salt water and should have good resistance to rust and the engine and drive line shall be fitted in enclosed housing to protect from river/canal /sea water	C/NC	C
35.	Packing	Accessories of the OBM be covered with proper packing material to avoid any scratches or damage and are to be separately packed with water proof packing material	C/NC	C
36.	Expected Life Span	NDMA rescue boats are used in flood emergency and are not operative during normal circumstances. Therefore, the OBM shall have life span of 5 year minimum while used and 10 years, under normal storage conditions.	C/NC	C
37.	Manufacturing / Supplier Marking	Every OBM shall include a tag, printed in back corner of boats with size of 10 x 10 cm, with the manufacturer identification. The tag should include the	C/NC	C

Kailash

Ser	Specifications	C/NC	M/s Abid Rafiq & Company
	manufacturer's name, unique reference batch number and date of manufacturing. No company log should be included with manufacture's marking		
38. Preference	Manufacturer / Authorized distributor will be preferred.	C/NC	C
39. NDMA Logo	Logo of "NDMA" in steel plate of size 4 x 6 inches at prominent place.	C/NC	C
Compliance / Non Compliance		Compliance	



Deputy Manager (Log), NDMA
Member



Director (Legal), NDMA
Member

on duty at Karachi

Director (Log), NDMA
Secretary



Member (Ops), NDMA
President Technical Committee

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency:	...National Disaster Management Authority.....
2. Method of Procurement:Open competitive bidding.....
3. Title of Procurement:Restocking of Relief Items....
4. Tender Inquiry No.:TN-13 (2025-26).....
5. Date & Time of Bid Closing:18-11-2025 at 1100 hours.....
6. Date & Time of Bid Opening:	...Technical 18-11-2025 at 1130 hours
7. No of Bids Received:19.....
8. Criteria for Bid Evaluation:As per bidding documents
9. Details of Bid(s) Evaluation:As detailed below.....

Ser	Name of the firm	Technical compliant / Non-compliant	Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.	
LOT # 1 (WATER TANK)				
1.	M/s Bataan Group of Services	Compliant	Detailed evaluation report is attached	
2.	M/s Majid Traders	Compliant		
LOT # 2 (ULTRA FILTRATION WATER PLANT)				
1.	M/s Bataan Group of Services	Compliant		
2.	M/s Nayab Enterprises	Non-Compliant		
3.	M/s Majid Traders	Compliant		
4.	M/s Skylark Engineering	Not Participated		
LOT # 3 (LIFE JACKETS)				
1.	M/s Ali Trading Corporation	Non-Compliant		
2.	M/s Cops Enterprises	Compliant		
3.	M/s Pak Rose Enterprises	Compliant		
4.	M/s Samad Rubber Works (Pvt) Ltd	Non-Compliant		
5.	M/s Trade Line Corporation	Compliant		
LOT # 4 (INFLATABLE BOATS)				
1.	M/s Awan Traders	Compliant		
2.	M/s Bataan Group of Services	Compliant		
3.	M/s Samad Rubber Works (Pvt) Ltd	Not Participated		
LOT # 5 (FIBER BOAT WITH OBM)				
1.	M/s Abid Rafiq & Company	Compliant		
LOT # 6 (DE-WATERING PUMPS)				
1.	M/s Cops Enterprises	Non-Compliant		
2.	M/s Nayab Enterprises	Compliant		
3.	M/s Trade Line Corporation	Compliant		
4.	M/s Majid Traders	Compliant		

Signature:



Official Stamp:

Abdul Latif
Director (Proc)
National Disaster Management Authority
Prime Minister's Office Islamabad

VISUAL INSPECTION PROFORMA – DE-WATERING PUMP

Ser	Specifications			C/NC	M/s Cops Enterprises	M/s Nayab Enterprises	M/s Tradeline Corporation	M/s Majid Traders
1.	PUMP	Connection Dia	80 mm(3")	C/NC	NC	C	C	C
2.		Delivery	27M Head \pm 2	C/NC	NC	C	C	C
3.		Delivery Volume	1400-1500 L/Min	C/NC	NC	C	C	C
4.		Max Suction Lift	8 M \pm 1	C/NC	NC	C	C	C
5.		Pump function	The de-watering pump should have an auto priming or manual priming system for initial suction of water in the suction hose.	C/NC	C	C	C	C
6.	ENGINE	Type	4-stroke Gasoline Engine	C/NC	C	C	C	C
7.		Engine maximum Power (HP)	8.5 HP to 9HP	C/NC	NC	C	C	C
8.		Max Output Speed	3600 rpm	C/NC	C	C	C	C
9.		Fuel	Gasoline	C/NC	C	C	C	C
10.		Fuel Tank Capacity	5L \pm 1	C/NC	NC	C	C	C
11.		Continuous Operating Time	Approx. 2 to 2.5 hrs	C/NC	NC	C	C	C
12.		Starting Method	Manual	C/NC	C	C	C	C
13.		Origin	Japan/USA/Europe	C/NC	NC	C	C	C
14.	Warranty	01 Year warranty period	C/NC	C	C	C	C	C
15.	Manufacturer Accessories	As per OEM Standard accessories	C/NC	C	C	C	C	C
16.	Packing Unit	Wooden box Good quality packing with NDMA Logo on product & packaging box (With Complete all accessories)	C/NC	C	C	C	C	C
17.	Suction Pipe:	15 ft long 3" Dia (PVC Suction Hose Pipe Heavy Duty)	C/NC	C	C	C	C	C
18.	Delivery pipe:	50 ft PVC lay flat hose pipe heavy duty 3" Dia (High pressure resistance, extra	C/NC	C	C	C	C	C

X/All 2/12

Ser	Specifications	C/NC	M/s Cops Enterprises	M/s Nayab Enterprises	M/s Tradeline Corporation	M/s Majid Traders
19.	Foot valve: durable and flexible) . 3" (Original Brass)	C/NC	NC	C	C	C
20.	Clamp Quantity 4x for suction and delivery pipes (must be high quality)	C/NC	C	C	C	C
21.	Tool Kit 1 complete set with box	C/NC	C	C	C	C
22.	Manual Guide Manufacturer Operational and maintenance manual	C/NC	C	C	C	C
Compliance / Non Compliance			Non-Compliance	Compliance	Compliance	Compliance

P. Dursooni

Deputy Manager (Log), NDMA
Member

Director (Legal), NDMA
Member

on leave)

Director (Log), NDMA
Secretary

K. Ali Murtaza
Member (Ops), NDMA
President Technical Committee