

TECHNICAL EVALUATION REPORT

(As Per Rule 35 of PP Rules, 2004)

1. Name of Procuring Agency:National Disaster Management Authority.....

2. Method of Procurement:Open competitive bidding.....

3. Title of Procurement: ..Pre-qualification of firms for supply of tents.....

4. Tender Inquiry No.:TN-12 (2025-26).....

5. Date & Time of Bid Closing:14-11-2025 at 1100 hours.....

6. Date & Time of Bid Opening: ...Technical 14-11-2025 at 1130 hours

7. No of Bids Received:44.....

8. Criteria for Bid Evaluation:As per bidding documents

9. Details of Bid(s) Evaluation:As detailed below.....

Sr No	Name of the firm	Technical compliant / Non-compliant			Rule/Regulation/SBD*/Policy/ Basis for Rejection / Acceptance as per Rule 35 of PP Rules, 2004.
		Family Tent	Winterized Tent	Shelter Tent	
1.	M/s Ali-Trading Corporation	Compliant	Compliant	Compliant	Detailed evaluation report is attached
2.	M/s Aryan's International	Compliant	Compliant	Compliant	
3.	M/s Blue Star International	Compliant	Compliant	Compliant	
4.	M/s Maris Int	Compliant	Compliant	Compliant	
5.	M/s Mohsin Enterprises	Compliant	Compliant	Compliant	
6.	M/s Nadir Saidjan Industries	Compliant	Compliant	Compliant	
7.	M/s Usman Traders	Compliant	Compliant	Compliant	
8.	M/s Awan Traders	Non-Compliant	Compliant	Compliant	
9.	M/s Pearl Associates	Non-Compliant	Compliant	Compliant	
10.	M/s Shabbir & Sons	Non-Compliant	Compliant	Non-Compliant	
11.	M/s Trader Line Corporation	Non-Compliant	Compliant	Compliant	
12.	M/s Zeb & Company	Non-Compliant	Compliant	Compliant	
13.	M/s Al-Farooq	Non-Compliant	Non-Compliant	Compliant	
14.	M/s Excel Tex Industries	Non-Compliant	Non-Compliant	Compliant	
15.	M/s FTS International	Non-Compliant	Non-Compliant	Compliant	
16.	M/s Global Associates	Non-Compliant	Non-Compliant	Compliant	
17.	M/s Pak Business	Non-Compliant	Non-Compliant	Compliant	
18.	M/s Active Vision (Pvt) Ltd	Non-Compliant	Non-Compliant	Non-Compliant	
19.	M/s Al-Fajar Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
20.	M/s Arneca International	Non-Compliant	Non-Compliant	Non-Compliant	
21.	M/s AMI Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
22.	M/s Cops Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	

23.	M/s Hussain Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
24.	M/s M. Bilal Exports	Non-Compliant	Non-Compliant	Non-Compliant	
25.	M/s Majid Traders	Non-Compliant	Non-Compliant	Non-Compliant	
26.	M/s Muhammad Ayub & Sons	Non-Compliant	Non-Compliant	Non-Compliant	
27.	M/s Nexus Trading (Pvt) Ltd	Non-Compliant	Non-Compliant	Non-Compliant	
28.	M/s Oslo Power & Energy	Non-Compliant	Non-Compliant	Non-Compliant	
29.	M/s Pak Rose Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
30.	M/s Paramount Tarpaulin Industries	Non-Compliant	Non-Compliant	Non-Compliant	
31.	M/s United Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
32.	M/s Alizeh Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
33.	M/s ALM Textile	Non-Compliant	Non-Compliant	Non-Compliant	
34.	M/s GN Associates	Non-Compliant	Non-Compliant	Non-Compliant	
35.	M/s Hayat Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	
36.	M/s HBJ Traders (Pvt) Ltd	Non-Compliant	Non-Compliant	Non-Compliant	
37.	M/s I Ahmad & Sons	Non-Compliant	Non-Compliant	Non-Compliant	
38.	M/s M.M Musa Gee International	Non-Compliant	Non-Compliant	Non-Compliant	
39.	M/s Mahroz Textile Industries	Non-Compliant	Non-Compliant	Non-Compliant	
40.	M/s Quality Contractors	Non-Compliant	Non-Compliant	Non-Compliant	
41.	M/s SK Shelter Associates	Non-Compliant	Non-Compliant	Non-Compliant	
42.	M/s SHM Associates (Pvt) Ltd	Non-Compliant	Non-Compliant	Non-Compliant	
43.	M/s White Rose Trading	Non-Compliant	Non-Compliant	Non-Compliant	
44.	M/s Z.R Enterprises	Non-Compliant	Non-Compliant	Non-Compliant	

Signature:



Official Stamp:

Abdul Latif
 Director (Proc)
 National Disaster Management Authority
 Prime Minister's Office Islamabad

Visual Inspection Proforma (Family Tent)

Ser	Visual Inspection	C/NC	M/s Active Vision (Pvt) Ltd	M/s Al-Fajar Enterprises	M/s Al-Farooq	M/s Ali-Trading Corporation	M/s Aryian's International	M/s Arneca International	M/s AMI Enterprises
1.	Size 4x4 meters, with double fly single fold	C/NC	C	C	C	C	C	C	C
2.	Centre Height - 2m	C/NC	NC	C	C	C	C	C	C
3.	Wall Height - 0.90m.	C/NC	C	C	C	C	C	C	C
4.	2 x windows of 2 x 2 Ft (one on each side centered) with high quality digital mesh and window flaps to reduce condensation inside the tent.	C/NC	NC	C	NC	C	C	C	NC
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C	C
	Closing & opening for windows and doors:								
6.	<ul style="list-style-type: none"> Velcro patches all around. Ropes for tightening and loosening. 	C/NC	C	C	C	C	C	NC	C
	Poles:								
7.	<ul style="list-style-type: none"> 2 standing iron poles, Pipe of 1.5 inch of 15SWG with base. Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable 1.5 inch of 15 SWG). 	C/NC	NC	C	NC	C	C	C	NC
	Pegs:								
8.	<ul style="list-style-type: none"> 10 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). 16 x iron pegs of small size for mud flap pitching (Solid iron bar having Length 9 inches). 	C/NC	NC	NC	NC	C	C	NC	C
	Ropes:								
9.	<ul style="list-style-type: none"> 8 x 3 m ropes (each side). 2 x 4 m ropes (front and back). 8 mm solid cotton ropes high quality. 	C/NC	C	C	C	C	C	NC	C
10.	Mud Flap: PE sheet, 150 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C	C
11.	Ground Sheet with Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C	C
12.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	NC	C	C	C	C	NC	C
13.	Weight 55-60kg (complete set)	C/NC	C	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	C	C	C	C	C
15.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner.	C/NC	C	NC	C	C	C	NC	C
16.	Each tent set must include an Installation & Maintenance Guidebook with:	C/NC	C	C	NC	C	C	NC	C
	<ul style="list-style-type: none"> Clear pictures and schematic diagrams of the tent. Complete list of items and accessories 								


Ser	Visual Inspection	C/NC	M/s Active Vision (Pvt) Ltd	M/s Al-Fajar Enterprises	M/s Al-Faroq	M/s Ali-Trading Corporation	M/s Aryian's International	M/s Arneca International	M/s AMI Enterprises
	<ul style="list-style-type: none"> Guidelines on site selection, unpacking, and setup. Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. Instructions for disassembly, packing, maintenance, and storage. 								
17.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C	C
18.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	NC	NC	C	C	C	NC	C
19.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	NC	C
20.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1ft). 	C/NC	NC	C	NC	C	C	C	NC
21.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C	C
22.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/Velcro/rope). 	C/NC	C	C	C	C	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C	C
24.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. Pouch stitched with tent bag or placed in master bundle bag. 	C/NC	C	C	C	C	C	C	C
25.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	NC	C	NC	C	C	C	NC
Compliance / Non-Compliance			Non- Compliance	Non- Compliance	Non- Compliance	Compliance	Compliance	Non- Compliance	Non- Compliance

Visual Inspection Proforma (Family Tent)

Ser	Visual Inspection	C/NC	M/s Awan Traders	M/s Blue Star International	M/s Cops Enterprises	M/s Excel Tex Industries	M/s FTS International	M/s Global Associates
1.	Size 4x4 meters, with double fly single fold	C/NC	C	C	C	C	C	C
2.	Centre Height - 2m	C/NC	C	C	NC	C	C	C
3.	Wall Height - 0.90m.	C/NC	C	C	C	C	C	C
4.	2 x windows of 2 x 2 Ft (one on each side centered) with high quality digital mesh and window flaps to reduce condensation inside the tent.	C/NC	NC	C	C	C	C	C
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	NC
7.	Poles: • 2 standing iron poles, Pipe of 1.5 inch of 15SWG with base. • Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable 1.5 inch of 15 SWG).	C/NC	C	C	NC	C	NC	C
8.	Pegs: • 10 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 16 x iron pegs of small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	NC	C	NC	NC	NC	NC
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet with Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
12.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
13.	Weight 55-60kg (complete set)	C/NC	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	C	NC	C	C
15.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner.	C/NC	C	C	NC	C	C	C
16.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and setup.	C/NC	C	C	C	C	NC	C

[Signature]

Ser	Visual Inspection	C/NC	M/s Awan Traders	M/s Blue Star International	M/s Cops Enterprises	M/s Excel Tex Industries	M/s FTS International	M/s Global Associates
	<ul style="list-style-type: none"> Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. Instructions for disassembly, packing, maintenance, and storage. 							
17.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
18.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	NC	C	NC	NC	C	NC
19.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	NC	C	NC	NC	C	C
20.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1ft). 	C/NC	NC	C	C	C	NC	NC
21.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C
22.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/Velcro/rope). 	C/NC	C	C	C	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C
24.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. Pouch stitched with tent bag or placed in master bundle bag. 	C/NC	C	C	C	C	C	C
25.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	NC	NC	NC	NC
Compliance / Non-Compliance			Non-Compliance	Compliance	Non-Compliance	Non-Compliance	Non-Compliance	Non-Compliance




Visual Inspection Proforma (Family Tent)

Ser	Visual Inspection	C/NC	M/s Hussain Enterprises	M/s M. Bilal Exports	M/s Majid Traders	M/s Maris Int	M/s Mohsin Enterprises	M/s Muhammad Ayub & Sons
1.	Size 4x4 meters, with double fly single fold	C/NC	C	C	C	C	C	C
2.	Centre Height - 2m	C/NC	C	C	C	C	C	C
3.	Wall Height - 0.90m.	C/NC	C	C	C	C	C	C
4.	2 x windows of 2 x 2 Ft (one on each side centered) with high quality digital mesh and window flaps to reduce condensation inside the tent.	C/NC	C	C	NC	C	C	NC
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
7.	Poles: • 2 standing iron poles, Pipe of 1.5 inch of 15SWG with base. • Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable 1.5 inch of 15 SWG).	C/NC	C	C	C	C	C	NC
8.	Pegs: • 10 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 16 x iron pegs of small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	NC	NC	NC	C	C	NC
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet with Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
12.	Hammer • 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
13.	Weight 55-60kg (complete set)	C/NC	C	C	C	C	C	C
14.	Color-Natural White	C/NC	NC	C	C	C	C	C
15.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner.	C/NC	C	C	C	C	C	C
16.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories.	C/NC	C	C	C	C	C	C

Kamillah

Ser	Visual Inspection	C/NC	M/s Hussain Enterprises	M/s M. Bilal Exports	M/s Majid Traders	M/s Maris Int	M/s Mohsin Enterprises	M/s Muhammad Ayub & Sons
	<ul style="list-style-type: none"> Guidelines on site selection, unpacking, and setup. Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. Instructions for disassembly, packing, maintenance, and storage. 							
17.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
18.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	NC	NC	NC	C	C	NC
19.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	NC	C	NC	C	C	NC
20.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1ft). 	C/NC	C	C	NC	C	C	NC
21.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C
22.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/Velcro/rope). 	C/NC	C	C	C	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C
24.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. Pouch stitched with tent bag or placed in master bundle bag. 	C/NC	C	C	C	C	C	C
25.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	NC	NC	NC	C	C	NC
Compliance / Non-Compliance			Non-Compliance	Non-Compliance	Non-Compliance	Compliance	Compliance	Non-Compliance



Visual Inspection Proforma (Family Tent)

Ser	Visual Inspection	C/NC	M/s Nadir Saidjan Industries	M/s Nexus Trading (Pvt) Ltd	M/s Oslo Power & Energy	M/s Pak Business	M/s Pak Rose Enterprises	M/s Paramount Tarpaulin Industries
1.	Size 4x4 meters, with double fly single fold	C/NC	C	C	-	C	C	C
2.	Centre Height - 2m	C/NC	C	C	-	C	C	C
3.	Wall Height - 0.90m.	C/NC	C	C	-	C	C	C
4.	2 x windows of 2 x 2 Ft (one on each side centered) with high quality digital mesh and window flaps to reduce condensation inside the tent.	C/NC	C	NC	-	NC	C	NC
5.	2 x doors (one on each side).	C/NC	C	C	-	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	NC	-	C	NC	C
7.	Poles: • 2 standing iron poles, Pipe of 1.5 inch of 15SWG with base. • Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable 1.5 inch of 15 SWG).	C/NC	C	NC	-	C	C	NC
8.	Pegs: • 10 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 16 x iron pegs of small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	NC	-	NC	NC	NC
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	-	C	C	C
10.	Mud Flap: PE sheet, 150 gsm, minimum 10-inch extension.	C/NC	C	C	-	C	C	C
11.	Ground Sheet with Plastic mat, size 4 x 4 m.	C/NC	C	C	-	C	C	C
12.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	-	C	C	C
13.	Weight 55-60kg (complete set)	C/NC	C	C	-	C	C	C
14.	Color-Natural White	C/NC	C	C	-	C	C	C
15.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner.	C/NC	C	NC	-	C	NC	C
16.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and setup.	C/NC	C	NC	-	C	NC	C

Kamran

Ser	Visual Inspection	C/NC	M/s Nadir Saidjan Industries	M/s Nexus Trading (Pvt) Ltd	M/s Oslo Power & Energy	M/s Pak Business	M/s Pak Rose Enterprises	M/s Paramount Tarpaulin Industries
	<ul style="list-style-type: none"> Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. Instructions for disassembly, packing, maintenance, and storage. 							
17.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	-	C	C	C
18.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	NC	-	NC	NC	NC
19.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	NC	-	NC	NC	NC
20.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1ft). 	C/NC	C	NC	-	C	NC	NC
21.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	-	C	C	C
22.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/Velcro/rope). 	C/NC	C	C	-	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	-	C	C	C
24.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. Pouch stitched with tent bag or placed in master bundle bag. 	C/NC	C	C	-	C	C	C
25.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	-	C	C	C
Compliance / Non-Compliance			Compliance	Non-Compliance	Absent Non-Compliance	Non-Compliance	Non-Compliance	Non-Compliance

Visual Inspection Proforma (Family Tent)


Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
1.	Size 4x4 meters, with double fly single fold	C/NC	C	C	C	C	C	C
2.	Centre Height - 2m	C/NC	C	C	C	C	C	C
3.	Wall Height - 0.90m.	C/NC	C	C	C	C	C	C
4.	2 x windows of 2 x 2 Ft (one on each side centered) with high quality digital mesh and window flaps to reduce condensation inside the tent.	C/NC	NC	NC	NC	C	C	C
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
7.	Poles: • 2 standing iron poles, Pipe of 1.5 inch of 15SWG with base. • Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable 1.5 inch of 15 SWG).	C/NC	NC	C	C	C	C	C
8.	Pegs: • 10 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 16 x iron pegs of small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	NC	NC	NC	C	NC
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	NC	C	C
10.	Mud Flap: PE sheet, 150 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet with Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
12.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
13.	Weight 55-60kg (complete set)	C/NC	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	C	C	C	C
15.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner.	C/NC	C	C	C	C	C	C
16.	Each tent set must include an Installation & Maintenance Guidebook with:	C/NC	C	C	C	C	C	C

Kamillah

Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
	<ul style="list-style-type: none"> Clear pictures and schematic diagrams of the tent. Complete list of items and accessories. Guidelines on site selection, unpacking, and setup. Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. Instructions for disassembly, packing, maintenance, and storage. 							
17.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
18.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	NC	NC	NC	NC	C	NC
19.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	C
20.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1ft). 	C/NC	NC	NC	NC	C	C	NC
21.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C
22.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/Velcro/rope). 	C/NC	C	C	C	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C
24.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. 	C/NC	C	C	C	C	C	C

Xauillm


Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
	<ul style="list-style-type: none"> Pouch stitched with tent bag or placed in master bundle bag. 							
25.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	C	C	C	C
Compliance / Non-Compliance			Non- Compliance	Non- Compliance	Non- Compliance	Non- Compliance	Compliance	Non- Compliance



Deputy Manager (Log), NDMA
Member



Director (Legal), NDMA
Member



Director (Log), NDMA
Secretary



Member (Ops), NDMA
President Technical Committee

Visual Inspection Proforma (Winterized Tent)

Ser	Visual Inspection	C/NC	M/s Active Vision (Pvt) Ltd	M/s Al-Fajar Enterprises	M/s Al-Farooq	M/s Ali-Trading Corporation	M/s Aryian's International	M/s Arneca International	M/s AMI Enterprises
1.	Size 4x4 meters, with double fly (four layers)	C/NC	C	C	C	C	C	NC	C
2.	Centre Height - 2.15m	C/NC	C	C	C	C	C	C	C
3.	Wall Height - 0.90m	C/NC	C	C	C	C	C	C	C
4.	2 x windows (one on each side centered) having size of 2 x 2 Ft along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	NC	C	C	NC	NC
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C	C
6.	Closing & opening for windows and doors: <ul style="list-style-type: none">Velcro patches all around.Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C	C
7.	Poles: <ul style="list-style-type: none">3 standing iron poles (1.5 inch of 15 SWG).1 iron ridge pole (14±1Kg).Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable).	C/NC	C	C	C	C	C	C	C
8.	Pegs: <ul style="list-style-type: none">12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet).1. 12 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	NC	NC	C	C	C	NC
9.	Ropes: <ul style="list-style-type: none">8 x 3 m ropes (each side).2 x 4 m ropes (front and back).8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 GSM, minimum 10-inch extension.	C/NC	C	C	C	C	C	C	NC
11.	Ground Sheet: PE sheet, 150 GSM size 4 x 4 m.	C/NC	C	C	NC	C	C	C	C
12.	Floor Mat: Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C	NC
13.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C	C
14.	Weight 65-70kg (complete set)	C/NC	C	C	C	C	C	C	C
15.	Color-Natural White	C/NC	C	C	C	C	C	C	C
16.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner below logo with flag.	C/NC	C	C	C	C	C	C	C
17.	Each tent set must include an Installation & Maintenance Guide Book with: <ul style="list-style-type: none">Clear pictures and schematic diagrams of the tent.Complete list of items and accessories.Guidelines on site selection, unpacking, and setup.Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections.	C/NC	C	C	C	C	C	C	C



Ser	Visual Inspection	C/NC	M/s Active Vision (Pvt) Ltd	M/s Al-Fajar Enterprises	M/s Al-Farooq	M/s Ali-Trading Corporation	M/s Aryian's International	M/s Arneca International	M/s AMI Enterprises
	a. Instructions for disassembly, packing, maintenance, and storage.								
18.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C	C
19.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	NC	C	C	C	C	C
20.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	C	C

Packing Specification:

	Master Bundle Bag: <ul style="list-style-type: none">Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent).Inner PE lining, double stitched, sealed seams.2 heavy-duty nylon handles, straps/buckles on 3 sides.NDMA logo printed (1x1 ft).	C/NC	C	C	C	C	C	C	NC
21.	Tent Fabric: <ul style="list-style-type: none">Outer & inner fly folded systematically.Ground sheet (PE) wrapped outside to protect from dirt/moisture.Packed in a separate inner bag (Canvas bag) before placing in master bundle.	C/NC	C	C	C	C	C	C	C
22.	Poles: <ul style="list-style-type: none">Iron poles in heavy-duty canvas bag.Reinforced ends, closure system (zip/velcro/rope).	C/NC	C	C	C	C	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none">All Pegs and hammer in reinforced accessory canvas bag.Inner padding/lining to prevent piercing.Closure with strong zip or double flap buckle.	C/NC	C	C	C	C	C	C	C
24.	Ropes: <ul style="list-style-type: none">Coiled in a separate waterproof pouch.Pouch stitched with tent bag or placed in master bundle bag.	C/NC	C	C	C	C	C	C	C
25.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	C	C	C	C	C
Compliance / Non-Compliance			Compliance	Non-Compliance	Non-Compliance	Compliance	Compliance	Non-Compliance	Non-Compliance

Kamillu ed

Visual Inspection Proforma (Winterized Tent)

Ser	Visual Inspection	C/NC	M/s Awan Traders	M/s Blue Star International	M/s Cops Enterprises	M/s Excel Tex Industries	M/s FTS International	M/s Global Associates
1.	Size 4x4 meters, with double fly (four layers)	C/NC	C	C	C	C	C	C
2.	Centre Height - 2.15m	C/NC	C	C	C	C	C	C
3.	Wall Height - 0.90m	C/NC	C	C	C	C	C	C
4.	2 x windows (one on each side centered) having size of 2 x 2 Ft along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	C	C	NC	C
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
7.	Poles: • 3 standing iron poles (1.5 inch of 15 SWG). • 1 iron ridge pole (14±1Kg). 1. Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable).	C/NC	C	C	C	C	C	C
8.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 12 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	C	C	C	C	C
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 GSM, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet: PE sheet, 150 GSM size 4 x 4 m.	C/NC	C	C	C	C	NC	NC
12.	Floor Mat: Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
13.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
14.	Weight 65-70kg (complete set)	C/NC	C	C	C	C	C	C
15.	Color-Natural White	C/NC	C	C	C	C	C	C
16.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner below logo with flag.	C/NC	C	C	C	C	C	C
17.	Each tent set must include an Installation & Maintenance Guide Book with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and setup. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing, maintenance, and storage.	C/NC	C	C	C	C	C	C

Kamal Hussain

Ser	Visual Inspection	C/NC	M/s Awan Traders	M/s Blue Star International	M/s Cops Enterprises	M/s Excel Tex Industries	M/s FTS International	M/s Global Associates
18.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
19.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	C	C	C	NC
20.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	C

Packing Specification:

21.	Master Bundle Bag: <ul style="list-style-type: none">• Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent).• Inner PE lining, double stitched, sealed seams.• 2 heavy-duty nylon handles, straps/buckles on 3 sides.• NDMA logo printed (1x1 ft).	C/NC	C	C	C	C	C	C
22.	Tent Fabric: <ul style="list-style-type: none">• Outer & inner fly folded systematically.• Ground sheet (PE) wrapped outside to protect from dirt/moisture.• Packed in a separate inner bag (Canvas bag) before placing in master bundle.	C/NC	C	C	C	C	C	C
23.	Poles: <ul style="list-style-type: none">• Iron poles in heavy-duty canvas bag.• Reinforced ends, closure system (zip/velcro/rope).	C/NC	C	C	C	C	C	C
24.	Pegs & Hammer: <ul style="list-style-type: none">• All Pegs and hammer in reinforced accessory canvas bag.• Inner padding/lining to prevent piercing.• Closure with strong zip or double flap buckle.	C/NC	C	C	C	C	C	C
25.	Ropes: <ul style="list-style-type: none">• Coiled in a separate waterproof pouch.• Pouch stitched with tent bag or placed in master bundle bag.	C/NC	C	C	C	C	C	C
26.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	C	C	C	C
Compliance / Non-Compliance			Compliance	Compliance	Compliance	Compliance	Non-Compliance	Non-Compliance



Visual Inspection Proforma (Winterized Tent)

Ser	Visual Inspection	C/NC	M/s Hussain Enterprises	M/s M. Bilal Exports	M/s Majid Traders	M/s Maris Int	M/s Mohsin Enterprises	M/s Muhammad Ayub & Sons
1.	Size 4x4 meters, with double fly (four layers)	C/NC	C	C	NC	C	C	C
2.	Centre Height - 2.15m	C/NC	C	C	C	C	C	C
3.	Wall Height - 0.90m	C/NC	C	C	C	C	C	C
4.	2 x windows (one on each side centered) having size of 2 x 2 Ft along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	NC	C	C	NC
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
7.	Poles: • 3 standing iron poles (1.5 inch of 15 SWG). • 1 iron ridge pole (14±1Kg). 2. Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable).	C/NC	C	C	NC	C	C	C
8.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 12 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	C	C	C	C	NC
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 GSM, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet: PE sheet, 150 GSM size 4 x 4 m.	C/NC	C	C	NC	C	C	NC
12.	Floor Mat: Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
13.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
14.	Weight 65-70kg (complete set)	C/NC	C	C	C	C	C	C
15.	Color-Natural White	C/NC	C	C	C	C	C	C
16.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner below logo with flag.	C/NC	C	C	C	C	C	C
17.	Each tent set must include an Installation & Maintenance Guide Book with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and setup. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections.	C/NC	C	C	C	C	C	C



Ser	Visual Inspection	C/NC	M/s Hussain Enterprises	M/s M. Bilal Exports	M/s Majid Traders	M/s Maris Int	M/s Mohsin Enterprises	M/s Muhammad Ayub & Sons
	<ul style="list-style-type: none"> Instructions for disassembly, packing, maintenance, and storage. 							
18.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
19.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	NC	C	C	C
20.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	NC
Packing Specification:								
21.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1 ft). 	C/NC	C	C	C	C	C	C
22.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C
23.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/velcro/rope). 	C/NC	C	C	C	C	C	C
24.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C
25.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. Pouch stitched with tent bag or placed in master bundle bag. 	C/NC	C	C	C	C	C	C
26.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	C	C	C	C
Compliance / Non-Compliance			Compliance	Compliance	Non-Compliance	Compliance	Compliance	Non-Compliance



Visual Inspection Proforma (Winterized Tent)

Ser	Visual Inspection	C/NC	M/s Nadir Saidjan Industries	M/s Nexus Trading (Pvt) Ltd	M/s Oslo Power & Energy	M/s Pak Business	M/s Pak Rose Enterprises	M/s Paramount Tarpaulin Industries
1.	Size 4x4 meters, with double fly (four layers)	C/NC	C	C	NC	NC	C	C
2.	Centre Height - 2.15m	C/NC	C	C	C	C	C	C
3.	Wall Height - 0.90m	C/NC	C	C	C	C	C	C
4.	2 x windows (one on each side centered) having size of 2 x 2 Ft along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	NC	NC	NC	C	NC
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
7.	Poles: • 3 standing iron poles (1.5 inch of 15 SWG). • 1 iron ridge pole (14±1Kg). 3. Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable).	C/NC	C	C	C	C	C	C
8.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 12 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	NC	NC	NC	C	NC
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 GSM, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet: PE sheet, 150 GSM size 4 x 4 m.	C/NC	C	C	C	C	C	NC
12.	Floor Mat: Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
13.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
14.	Weight 65-70kg (complete set)	C/NC	C	C	C	C	C	C
15.	Color-Natural White	C/NC	C	C	C	C	C	C
16.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner below logo with flag.	C/NC	C	C	NC	C	C	C
17.	Each tent set must include an Installation & Maintenance Guide Book with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and setup. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing, maintenance, and	C/NC	C	C	NC	C	C	C

[Handwritten signature]

Ser	Visual Inspection	C/NC	M/s Nadir Saidjan Industries	M/s Nexus Trading (Pvt) Ltd	M/s Oslo Power & Energy	M/s Pak Business	M/s Pak Rose Enterprises	M/s Paramount Tarpaulin Industries
	storage.							
18.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
19.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	NC	NC	NC	C	NC
20.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	NC	C	C	C
Packing Specification:								
21.	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1 ft). 	C/NC	C	C	NC	C	C	C
22.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C
23.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system (zip/velcro/rope). 	C/NC	C	C	C	C	C	C
24.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C
25.	Ropes: <ul style="list-style-type: none"> Coiled in a separate waterproof pouch. Pouch stitched with tent bag or placed in master bundle bag. 	C/NC	C	C	C	C	C	C
26.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	NC	C	C	C
Compliance / Non-Compliance			Compliance	Non-Compliance	Non-Compliance	Non-Compliance	Compliance	Non-Compliance



Visual Inspection Proforma (Winterized Tent)

Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
1.	Size 4x4 meters, with double fly (four layers)	C/NC	C	C	C	C	C	C
2.	Centre Height - 2.15m	C/NC	C	C	C	C	C	C
3.	Wall Height - 0.90m	C/NC	C	C	C	C	C	C
4.	2 x windows (one on each side centered) having size of 2 x 2 Ft along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	C	C	C	C
5.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
6.	Closing & opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
7.	Poles: • 3 standing iron poles (1.5 inch of 15 SWG). • 1 iron ridge pole (14±1Kg). 4. Rigid iron pole in 2 equal pieces joined with 10-inch long welded socket (welding must be full; tack/spot welding is not acceptable).	C/NC	C	C	C	C	C	C
8.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 12 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches).	C/NC	C	C	C	NC	C	C
9.	Ropes: • 8 x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
10.	Mud Flap: PE sheet, 150 GSM, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
11.	Ground Sheet: PE sheet, 150 GSM size 4 x 4 m.	C/NC	C	C	C	NC	C	C
12.	Floor Mat: Plastic mat, size 4 x 4 m.	C/NC	C	C	C	C	C	C
13.	Hammer: 1 x imported quality hammer (2-3 kg) for pitching pegs.	C/NC	C	C	C	C	C	C
14.	Weight 65-70kg (complete set)	C/NC	C	C	C	C	C	C
15.	Color-Natural White	C/NC	C	C	C	C	C	C
16.	NDMA Logo and Pakistan Flag (both colored & size 1 m diameter) permanently printed on both sides of outer fly of tent. The words "NOT FOR SALE" shall be also permanently printed on both inner and outer fly in a clear visible manner below logo with flag.	C/NC	C	C	C	C	C	C
17.	Each tent set must include an Installation & Maintenance Guide Book with:	C/NC	C	C	C	C	C	C

Xamill

Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
	<ul style="list-style-type: none"> Clear pictures and schematic diagrams of the tent. Complete list of items and accessories. Guidelines on site selection, unpacking, and setup. Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. Instructions for disassembly, packing, maintenance, and storage. 							
18.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
19.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, and rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	C	C	C	C
20.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	NC	C	C

Packing Specification:

	Master Bundle Bag: <ul style="list-style-type: none"> Tent and accessories in waterproof PVC-coated/treated canvas bag (same canvas as of tent). Inner PE lining, double stitched, sealed seams. 2 heavy-duty nylon handles, straps/buckles on 3 sides. NDMA logo printed (1x1 ft). 	C/NC	C	C	C	NC	C	C
21.	Tent Fabric: <ul style="list-style-type: none"> Outer & inner fly folded systematically. Ground sheet (PE) wrapped outside to protect from dirt/moisture. Packed in a separate inner bag (Canvas bag) before placing in master bundle. 	C/NC	C	C	C	C	C	C
22.	Poles: <ul style="list-style-type: none"> Iron poles in heavy-duty canvas bag. Reinforced ends, closure system 	C/NC	C	C	C	C	C	C
23.	Pegs & Hammer: <ul style="list-style-type: none"> All Pegs and hammer in reinforced accessory canvas bag. Inner padding/lining to prevent piercing. Closure with strong zip or double flap buckle. 	C/NC	C	C	C	C	C	C
24.			C	C	C	C	C	C

Kamran *sd*

Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
25.	Ropes: • Coiled in a separate waterproof pouch. • Pouch stitched with tent bag or placed in master bundle bag.	C/NC	C	C	C	C	C	C
26.	Guideline book and repair kit to be packed in a separate canvas pouch.	C/NC	C	C	C	C	C	C
Compliance / Non-Compliance			Compliance	Compliance	Compliance	Non- Compliance	Compliance	Compliance

Deputy Manager (Log), NDMA
Member


Director (Legal), NDMA
Member

Director (Log), NDMA
Secretary

Member (Ops), NDMA
President Technical Committee

Visual Inspection Proforma (Shelter Tent)

Ser	Visual Inspection	C/NC	M/s Active Vision (Pvt) Ltd	M/s Al-Fajar Enterprises	M/s Al-Farooq	M/s Ali-Trading Corporation	M/s Aryian's International	M/s Arneca International	M/s AMI Enterprises
1.	Size 6 x 8 meters, with single fly	C/NC	C	C	C	C	C	C	C
2.	Centre Height-10ft	C/NC	C	C	C	C	C	C	C
3.	Wall Height-6.5ft.	C/NC	C	C	C	C	C	C	C
4.	Capacity-30 x Person	C/NC	C	C	C	C	C	C	C
5.	8x windows having Windows size 24 x 30 inch along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	C	C	C	C	C
6.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C	C
7.	Closing & Opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C	C
8.	Structure: • Pole-14 SWG. • Wall pipe with base 10 Nos. • Ridge pipe-12 Nos. • Slope pipe-10 Nos. • Joints-15 Nos.	C/NC	C	C	C	C	C	C	C
9.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 20 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches)	C/NC	C	C	C	C	C	C	C
10.	Ropes: • 10x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C	C
11.	Mud Flap: PE sheet, 200 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C	C
12.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and set • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing.	C/NC	C	C	C	C	C	C	C



Ser	Visual Inspection	C/NC	M/s Active Vision (Pvt) Ltd	M/s Al-Fajar Enterprises	M/s Al-Farooq	M/s Ali-Trading Corporation	M/s Aryian's International	M/s Arneca International	M/s AMI Enterprises
	maintenance, and storage.								
13.	Weight 300-350kg (complete set)	C/NC	C	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	C	C	C	C	C
15.	NDMA's Logo and Pakistan Flag (both colored and size 1 meter diameter) permanently printed on both outer sides of tent. The words "NOT FOR SALE" shall be permanently printed on both outer side	C/NC	C	C	C	C	C	C	C
16.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C	C
17.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	C	C	C	C	C
18.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	C	C
19.	Packing Specification: <ul style="list-style-type: none"> 1x bag for Tent Canvas in waterproof PVC-coated/treated canvas bag. Ropes coiled in separate waterproof pouch placed inside tent canvas bag. Ground sheet (PE) wrapped outside to protect from dirt/moisture. 1x bag for wall pipe in waterproof PVC-coated/treated canvas bag. 1x bag for slope pipe in waterproof PVC-coated/treated canvas bag. 1x bag for ridge pipe in waterproof PVC-coated/treated canvas bag. 1x wooden box for joints pegs & hammer with cushioning of each part. NDMA printed logo 1x1 ft on all packing. 	C/NC	C	C	C	C	C	C	C
Compliance / Non-Compliance				Compliance	Compliance	Compliance	Compliance	Compliance	Compliance



Visual Inspection Proforma (Shelter Tent)

Ser	Visual Inspection	C/NC	M/s Hussain Enterprises	M/s M. Bilal Exports	M/s Majid Traders	M/s Maris Int	M/s Mohsin Enterprises	M/s Muhammad Ayub & Sons
1.	Size 6 x 8 meters, with single fly	C/NC	C	C	C	C	C	C
2.	Centre Height-10ft	C/NC	C	C	C	C	C	C
3.	Wall Height-6.5ft.	C/NC	C	C	C	C	C	C
4.	Capacity-30 x Person	C/NC	C	C	C	C	C	C
5.	8x windows having Windows size 24 x 30 inch along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	C	C	C	C
6.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
7.	Closing & Opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
8.	Structure: • Pole-14 SWG. • Wall pipe with base 10 Nos. • Ridge pipe-12 Nos. • Slope pipe-10 Nos. • Joints-15 Nos.	C/NC	C	C	C	C	C	C
9.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 20 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches)	C/NC	C	C	C	C	C	C
10.	Ropes: • 10x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
11.	Mud Flap: PE sheet, 200 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
12.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and set up. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing, maintenance, and storage.	C/NC	C	C	C	C	C	C
13.	Weight 300-350kg (complete set)	C/NC	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	C	C	C	C
15.	NDMA's Logo and Pakistan Flag (both colored and size 1 meter diameter) permanently printed on both	C/NC	C	C	C	C	C	C

X with red

Ser	Visual Inspection	C/NC	M/s Awan Traders	M/s Blue Star International	M/s Cops Enterprises	M/s Excel Tex Industries	M/s FTS International	M/s Global Associates
	outer sides of tent. The words "NOT FOR SALE" shall be permanently printed on both outer side							
16.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
17.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	C	C	C	NC
18.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	NC
19.	Packing Specification: <ul style="list-style-type: none"> 1x bag for Tent Canvas in waterproof PVC-coated/treated canvas bag. Ropes coiled in separate waterproof pouch placed inside tent canvas bag. Ground sheet (PE) wrapped outside to protect from dirt/moisture. 1x bag for wall pipe in waterproof PVC-coated/treated canvas bag. 1x bag for slope pipe in waterproof PVC-coated/treated canvas bag. 1x bag for ridge pipe in waterproof PVC-coated/treated canvas bag. 1x wooden box for joints pegs & hammer with cushioning of each part. NDMA printed logo 1x1 ft on all packing. 	C/NC	C	C	C	C	C	NC
Compliance / Non-Compliance			Compliance	Compliance	Compliance	Compliance	Compliance	Compliance



Visual Inspection Proforma (Shelter Tent)

Ser	Visual Inspection	C/NC	M/s Awan Traders	M/s Blue Star International	M/s Cops Enterprises	M/s Excel Tex Industries	M/s FTS International	M/s Global Associates
1.	Size 6 x 8 meters, with single fly	C/NC	C	C	C	C	C	C
2.	Centre Height-10ft	C/NC	C	C	C	C	C	NC
3.	Wall Height-6.5ft.	C/NC	C	C	C	C	C	C
4.	Capacity-30 x Person	C/NC	C	C	C	C	C	C
5.	8x windows having Windows size 24 x 30 inch along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	C	C	C	NC
6.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
7.	Closing & Opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	C	C	C
8.	Structure: • Pole-14 SWG. • Wall pipe with base 10 Nos. • Ridge pipe-12 Nos. • Slope pipe-10 Nos. • Joints-15 Nos.	C/NC	C	C	C	C	C	C
9.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 20 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches)	C/NC	C	C	C	C	C	NC
10.	Ropes: • 10x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
11.	Mud Flap: PE sheet, 200 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
12.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and set up. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing, maintenance, and storage.	C/NC	C	C	C	C	C	C
13.	Weight 300-350kg (complete set)	C/NC	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	C	C	C	C
15.	NDMA's Logo and Pakistan Flag (both colored and size 1 meter diameter) permanently printed on both	C/NC	C	C	C	C	C	C

[Handwritten signature]

Ser	Visual Inspection	C/NC	M/s Hussain Enterprises	M/s M. Bilal Exports	M/s Majid Traders	M/s Maris Int	M/s Mohsin Enterprises	M/s Muhammad Ayub & Sons
	outer sides of tent. The words "NOT FOR SALE" shall be permanently printed on both outer side							
16.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	C	C	C
17.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	C	C	C	C
18.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	C
19.	Packing Specification: <ul style="list-style-type: none"> 1x bag for Tent Canvas in waterproof PVC-coated/treated canvas bag. Ropes coiled in separate waterproof pouch placed inside tent canvas bag. Ground sheet (PE) wrapped outside to protect from dirt/moisture. 1x bag for wall pipe in waterproof PVC-coated/treated canvas bag. 1x bag for slope pipe in waterproof PVC-coated/treated canvas bag. 1x bag for ridge pipe in waterproof PVC-coated/treated canvas bag. 1x wooden box for joints pegs & hammer with cushioning of each part. NDMA printed logo 1x1 ft on all packing. 	C/NC	C	C	C	C	C	C
Compliance / Non-Compliance			Compliance	Compliance	Compliance	Compliance	Compliance	Compliance



Visual Inspection Proforma (Shelter Tent)

Ser	Visual Inspection	C/NC	M/s Nadir Saidjan Industries	M/s Nexus Trading (Pvt) Ltd	M/s Oslo Power & Energy	M/s Pak Business	M/s Pak Rose Enterprises	M/s Paramount Tarpaulin Industries
1.	Size 6 x 8 meters, with single fly	C/NC	C	C	C	C	C	C
2.	Centre Height-10ft	C/NC	C	C	NC	C	C	C
3.	Wall Height-6.5ft.	C/NC	C	C	C	C	C	C
4.	Capacity-30 x Person	C/NC	C	C	C	C	C	C
5.	8x windows having Windows size 24 x 30 inch along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	NC	NC	C	C	C
6.	2 x doors (one on each side).	C/NC	C	C	C	C	C	C
7.	Closing & Opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	NC	C	C	C
8.	Structure: • Pole-14 SWG. • Wall pipe with base 10 Nos. • Ridge pipe-12 Nos. • Slope pipe-10 Nos. • Joints-15 Nos.	C/NC	C	C	C	C	C	C
9.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 20 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches)	C/NC	C	C	C	C	C	C
10.	Ropes: • 10x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	C	C	C
11.	Mud Flap: PE sheet, 200 gsm, minimum 10-inch extension.	C/NC	C	C	C	C	C	C
12.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and set up. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing, maintenance, and storage.	C/NC	C	NC	NC	C	C	C
13.	Weight 300-350kg (complete set)	C/NC	C	C	C	C	C	C
14.	Color-Natural White	C/NC	C	C	NC	C	C	C

[Signature]


Ser	Visual Inspection	C/NC	M/s Nadir Saidjan Industries	M/s Nexus Trading (Pvt) Ltd	M/s Oslo Power & Energy	M/s Pak Business	M/s Pak Rose Enterprises	M/s Paramount Tarpaulin Industries
15.	NDMA's Logo and Pakistan Flag (both colored and size 1 meter diameter) permanently printed on both outer sides of tent. The words "NOT FOR SALE" shall be permanently printed on both outer side	C/NC	C	C	NC	C	C	C
16.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	NC	NC	C	C	C
17.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	NC	NC	C	C	C
18.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	C	C	C
19.	Packing Specification: <ul style="list-style-type: none"> 1x bag for Tent Canvas in waterproof PVC-coated/treated canvas bag. Ropes coiled in separate waterproof pouch placed inside tent canvas bag. Ground sheet (PE) wrapped outside to protect from dirt/moisture. 1x bag for wall pipe in waterproof PVC-coated/treated canvas bag. 1x bag for slope pipe in waterproof PVC-coated/treated canvas bag. 1x bag for ridge pipe in waterproof PVC-coated/treated canvas bag. 1x wooden box for joints pegs & hammer with cushioning of each part. NDMA printed logo 1x1 ft on all packing. 	C/NC	C	C	NC	C	C	C
Compliance / Non-Compliance			Compliance	Non-Compliance	Non-Compliance	Compliance	Compliance	Compliance

Visual Inspection Proforma (Shelter Tent)

Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
1.	Size 6 x 8 meters, with single fly	C/NC	C	C	C	-	C	C
2.	Centre Height-10ft	C/NC	C	C	C	-	C	C
3.	Wall Height-6.5ft.	C/NC	C	C	C	-	C	C
4.	Capacity-30 x Person	C/NC	C	C	C	-	C	C
5.	8x windows having Windows size 24 x 30 inch along with digital mesh to reduce condensation inside the tent with window flaps.	C/NC	C	C	C	-	C	C
6.	2 x doors (one on each side).	C/NC	C	C	C	-	C	C
7.	Closing & Opening for windows and doors: • Velcro patches all around. • Ropes for tightening and loosening.	C/NC	C	C	C	-	C	C
8.	Structure: • Pole-14 SWG. • Wall pipe with base 10 Nos. • Ridge pipe-12 Nos. • Slope pipe-10 Nos. • Joints-15 Nos.	C/NC	C	C	C	-	C	C
9.	Pegs: • 12 x iron pegs of large size for outer pitching (solid angle iron with welded eye having Length 2 feet). • 20 x iron pegs of Small size for mud flap pitching (Solid iron bar having Length 9 inches)	C/NC	C	C	C	-	C	C
10.	Ropes: • 10x 3 m ropes (each side). • 2 x 4 m ropes (front and back). • 8 mm solid cotton ropes high quality.	C/NC	C	C	C	-	C	C
11.	Mud Flap: PE sheet, 200 gsm, minimum 10-inch extension.	C/NC	C	C	C	-	C	C
12.	Each tent set must include an Installation & Maintenance Guidebook with: • Clear pictures and schematic diagrams of the tent. • Complete list of items and accessories. • Guidelines on site selection, unpacking, and set up. • Step-by-step illustrated instructions for poles, pegs, fabric, and rope connections. • Instructions for disassembly, packing, maintenance, and storage.	C/NC	C	C	C	-	C	C
13.	Weight 300-350kg (complete set)	C/NC	C	C	C	-	C	C
14.	Color-Natural White	C/NC	C	C	C	-	C	C
15.	NDMA's Logo and Pakistan Flag (both colored and size 1 meter diameter) permanently printed on both	C/NC	C	C	C	-	C	C


[Signature]

Ser	Visual Inspection	C/NC	M/s Pearl Associates	M/s Shabbir & Sons	M/s Trade Line Corporation	M/s United Enterprises	M/s Usman Traders	M/s Zeb & Company
	outer sides of tent. The words "NOT FOR SALE" shall be permanently printed on both outer side							
16.	Manufacturer's name, Batch/Lot number, and Date of Manufacture shall be permanently printed on the inner side of both flies (not visible from outside).	C/NC	C	C	C	-	C	C
17.	Reinforced Stitching: Use double or triple stitching at all stress points (like corners, doors, windows, rope attachment points). Add nylon webbing reinforcement where ropes attach to prevent tearing.	C/NC	C	C	C	-	C	C
18.	Repair Kit: Supply a small repair kit with extra fabric patches, needle, thread, and spare ropes.	C/NC	C	C	C	-	C	C
19.	Packing Specification: <ul style="list-style-type: none"> 1x bag for Tent Canvas in waterproof PVC-coated/treated canvas bag. Ropes coiled in separate waterproof pouch placed inside tent canvas bag. Ground sheet (PE) wrapped outside to protect from dirt/moisture. 1x bag for wall pipe in waterproof PVC-coated/treated canvas bag. 1x bag for slope pipe in waterproof PVC-coated/treated canvas bag. 1x bag for ridge pipe in waterproof PVC-coated/treated canvas bag. 1x wooden box for joints pegs & hammer with cushioning of each part. NDMA printed logo 1x1 ft on all packing. 	C/NC	C	C	C	-	C	C
Compliance / Non-Compliance			Compliance	Compliance	Compliance	Absent	Compliance	Compliance


P. Duran
Deputy Manager (Log), NDMA
Member


Director (Legal), NDMA
Member


Director (Log), NDMA
Secretary


Member (Ops), NDMA
President Technical Committee



ARMY STORES INSPECTION DEPOT

LAHORE



LAB TEST REPORT

P- 1 of 2

Nomenclature	Family Size Tent	Ref: No. 4219/ LAB/LID/	
F/Note No.	No.F.2(11)2025-26/NDMA(Proc) Dated 26-12-2025		
Nature of Sample	Outer Agency	Temp= 21°C	Humidity= 65%
Lab No.	-	Specn	As per Att Data
Date Receipt	27-12-2025	Date of Reporting	12 Jan 2026
No of Sample	07		
Client Name:	M/S NDMA		

S#	DESCRIPTION	Arqian's Int'l.	Naqis Saidjan B Industries	Result	Blue Star Int'l.
		A	B	C	
1	Water proofing (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage
2	Water proofing (Outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (Inner fly)	Rot Proofing	Rot Proofing	Rot Proofing	Rot Proofing
4	Rot Proofing (Outer fly)	Rot Proofing	Rot Proofing	Rot Proofing	Rot Proofing
5	GSM Inner (De-proof)	458.1	459.7	448.7	
6	GSM Outer (De-proof)	439.7	439.5	460.0	
7	P.E Sheet (GSM)	Av= 159.6	Av= 161.6	Av= 162.1	
8	Cone test (Inner)	No Leakage	No Leakage	No Leakage	
9	Cone test (Outer)	No Leakage	No Leakage	No Leakage	
10	Material of pole	Steel Pole	Steel Pole	Steel Pole	
11	Rust proofing	Poles	Galvanized	Powder Coated	Powder Coated
		Peges large	Galvanized	Galvanized	Galvanized
		Pages small	Galvanized	Galvanized	Galvanized
12	Material of canvas	Cotton	Cotton	Cotton	

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT LAHORE



P-2 of 2

S#	DESCRIPTION	Usman Traders Mohsin Ent. Result			
		F	N	X Corp	Masis Int
1	Water proofing (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage
2	Water proofing (Outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (Inner fly)	Rot Proofing	Rot Proofing	Rot Proofing	Rot Proofing
4	Rot Proofing (Outer fly)	Rot Proofing	Rot Proofing	Rot Proofing	Rot Proofing
5	GSM Inner (De-proof)	460.3	465.4	464.4	438.6
6	GSM Outer (De-proof)	448.7	447.5	458.0	459.8
7	P.E Sheet (GSM)	Av= 162.5	Av= 155.8	Av=156.5	Av= 155.5
8	Cone test (Inner)	No Leakage	No Leakage	No Leakage	No Leakage
9	Cone test (Outer)	No Leakage	No Leakage	No Leakage	No Leakage
10	Material of pole	Steel Pole	Steel Pole	Steel Pole	Steel Pole
11	Rust proofing	Poles	Powder Coated	Powder Coated	Powder Coated
		Peges large	Galvanized	Galvanized	Galvanized
		Peges small	Galvanized	Galvanized	Galvanized
12	Martial of canvas	Cotton	Cotton	Cotton	Cotton

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)

W.M. Nasir
Maj
GO, Lab
(Muddassir Khan)



ARMY STORES INSPECTION DEPOT

LAHORE

LAB TEST REPORT

Page 1 of 5



Nomenclature	Winterized Tent	Ref: No. 4219/ LAB/LID/	
F/Note No.	No.F.2(11)2025-26/NDMA(Proc) Dated 26-12-2025		
Nature of Sample	Outer Agency	Temp= 21°C	Humidity= 65%
Lab No.	-	Specn	As per Att Data
Date Receipt	27-12-2025	Date of Reporting	12 Jan 2026
No of Sample	18		
Client Name:	M/S NDMA		

S#	DESCRIPTION	Pak Rose Ent.	Avan Trade	RESULTS	M. Bilal	Mohsin Ent.
		AA	AB	AX export	CC	
1	Water proofing (Inner fly)	No Leakage	No Leakage	Leakage /	No Leakage	
2	Water proofing (outer fly)	No Leakage	No Leakage	Leakage /	No Leakage	
3	Cone Test (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage	
4	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	
5	Canvas (GSM) Inner (De-proof)	449.4	470.2	538.7	440.4	
6	Canvas (GSM) Outer (De-proof)	456.0	487.9	556.8	505.2	
7	Rot Proofing (inner)	Absent /	Rot Proof	Absent /	Rot Proof	
8	Rot Proofing (outer)	Absent /	Rot Proof	Absent /	Rot Proof	
9	Fire Retardant (Dyed Fabric)	Satisfactory	Satisfactory	Satisfactory	Satisfactory	
10	Polyester wadding (Material)	Polyester	Polyester	Polyester	Polyester	
11	Polyester wadding (GSM)	Av = 151.8	Av = 143.4	Av = 147.6	Av = 139.3	
12	Yellow Lining (GSM with FR coating)	124.9	124.2	182.0	155.5	
13	Material	Cotton	Cotton	Cotton	Cotton	
14	Ground Sheet P.E Sheet (GSM)	Av = 169.5	Av = 169.5	Av = 163.5	Av = 161.8	
15	Ground sheet Size(m)	4 x 4	4 x 4	4 x 4	4 x 4	
16	Mad flap size	10.5 inch	11.6 inch	10.9 inch	10.7 inch	
17	Material of poles	Steel Pole	Steel Pole	Steel Pole	Steel Pole	
18	Rust proofing	Poles	Powder Coating	Powder Coating	Powder Coating	
		Pegs large	Not Galvanized	Galvanized	Not Galvanized	Galvanized
		Pegs small	Galvanized	Galvanized	Galvanized	

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT

LAHORE



Page 2 of 5

S#	DESCRIPTION	Blue Star Int. Pearl Assoc. RESULTS			Nadir Sardjan FX Indus.
		CD	CK	FF Ent.	
1	Water proofing (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage
2	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Cone Test (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage
4	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
5	Canvas (GSM) Inner (De-proof)	422.2	421.0	437.4	440.2
6	Canvas (GSM) Outer (De-proof)	519.5	522.5	471.3	504.6
7	Rot Proofing (inner)	Rot Proof	Rot Proof	Absent ✓	Rot Proof
8	Rot Proofing (outer)	Rot Proof	Rot Proof	Absent ✓	Rot Proof
9	Fire Retardant (Dyed Fabric)	Satisfactory	Satisfactory	Satisfactory	Satisfactory
10	Polyester wadding (Material)	Polyester	Polyester	Polyester	Polyester
11	Polyester wadding (GSM)	Av = 144.9	Av = 143.6	Av = 115.0	Av = 141.5
12	Yellow Lining (GSM with FR coating)	128.3	134.0	123.8	133.4
13	Material	Cotton	Cotton	Cotton	Cotton
14	Ground Sheet P.E Sheet (GSM)	Av = 155.9	Av = 159.1	Av = 181.2	Av = 163.8
15	Ground sheet Size(m)	4 x 4	4 x 4	4 x 4	4 x 4
16	Mad Flap	10.6 inch	11.2 inch	10.7 inch	10.5 inch
17	Material of poles	Steel Pole	Steel Pole	Steel Pole	Steel Pole
18	Rust proofing	Poles	Powder Coating	Powder Coating	Powder Coating + Galvanized
		Pegs large	Galvanized	Galvanized	Not Galvanized
		Pegs small	Galvanized	Galvanized	Galvanized



RA-I
Checked by
(Naeem Nasir)



RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT

LAHORE



Page 3 of 5

S#	DESCRIPTION	Shabir & Sons Trade line		RESULTS	Excel	Tex	Zeb 9 Coy	SS
		MIN	OP	RD Index				
1	Water proofing (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
2	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
3	Cone Test (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
4	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
5	Canvas (GSM) Inner (De-proof)	560.3	454.2	435.3	435.3	435.3	448.0	448.0
6	Canvas (GSM) Outer (De-proof)	553.5	486.4	468.1	468.1	468.1	480.2	480.2
7	Rot Proofing (inner)	Rot Proof	Rot Proof	Absent	Absent	Absent	Rot Proof	Rot Proof
8	Rot Proofing (outer)	Rot Proof	Rot Proof	Absent	Absent	Absent	Rot Proof	Rot Proof
9	Fire Retardant (Dyed Fabric)	Satisfactory	Satisfactory	Satisfactory	Satisfactory	Satisfactory	Satisfactory	Satisfactory
10	Polyester wadding (Material)	Polyester	Polyester	Polyester	Polyester	Polyester	Polyester	Polyester
11	Polyester wadding (GSM)	Av = 173.8	Av = 175.0	Av = 154.0	Av = 154.0	Av = 154.0	Av = 184.9	Av = 184.9
12	Yellow Lining (GSM with FR coating)	132.4	144.5	135.1	135.1	135.1	149.3	149.3
13	Material	Cotton	Cotton	Cotton	Cotton	Cotton	Cotton	Cotton
14	Ground Sheet P.E Sheet (GSM)	Av = 176.2	Av = 174.1	Av = 184.2	Av = 184.2	Av = 184.2	Av = 171.4	Av = 171.4
15	Ground sheet Size(m)	4 x 4	4 x 4	4 x 4	4 x 4	4 x 4	4 x 4	4 x 4
16	Mad Flap size	10.5 inch	11.1 inch	10.5 inch	10.5 inch	10.5 inch	10.6 inch	10.6 inch
17	Material of poles	Steel Pole	Steel Pole	Steel Pole	Steel Pole	Steel Pole	Steel Pole	Steel Pole
18	Rust proofing	Poles	Powder Coating					
		Pegs large	Not Galvanized	Galvanized	Not Galvanized	Not Galvanized	Galvanized	Galvanized
		Pegs small	Not Galvanized	Galvanized	Galvanized	Galvanized	Galvanized	Galvanized

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT

LAHORE



Page 4 of 5

S#	DESCRIPTION	RESULTS			
		QR	WE	XB	Masis XX Int.
1	Water proofing (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage
2	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Cone Test (Inner fly)	No Leakage	No Leakage	No Leakage	No Leakage
4	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
5	Canvas (GSM) Inner (De-proof)	436.3	437.8	466.1	453.0
6	Canvas (GSM) Outer (De-proof)	518.0	511.8	484.4	501.3
7	Rot Proofing (inner)	Rot Proof	Rot Proof	Absent /	Rot Proof
8	Rot Proofing (outer)	Rot Proof	Rot Proof	Absent /	Rot Proof
9	Fire Retardant (Dyed Fabric)	Satisfactory	Satisfactory	Satisfactory	Satisfactory
10	Polyester wadding (Material)	Polyester	Polyester	Polyester	Polyester
11	Polyester wadding (GSM)	Av = 144.2	Av = 144.7	Av = 182.6	Av = 143.4
12	Yellow Lining (GSM with FR coating)	133.2	132.8	170.9	135.4
13	Material	Cotton	Cotton	Cotton	Cotton
14	Ground Sheet P.E Sheet (GSM)	Av = 163.2	Av = 154.8	Av = 170.9	Av = 154.4
15	Ground sheet Size(m)	4 x 4	4 x 4	4 x 4	4 x 4
16	Mad Flap size	10.8 inch	11.3 inch	10.5 inch	10.7 inch
17	Material of poles	Steel Pole	Steel Pole	Steel Pole	Steel Pole
18	Rust proofing	Poles	Powder Coating	Powder Coating	Powder Coating
		Pegs large	Galvanized	Galvanized	Galvanized
		Pegs small	Galvanized	Galvanized	Galvanized

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT LAHORE



Page 5 of 5

S#	DESCRIPTION	RESULTS	
		Active Vision(Pvt) Ltd XY	Ali - Trading ZZ
1	Water proofing (Inner fly)	No Leakage	No Leakage
2	Water proofing (outer fly)	No Leakage	No Leakage
3	Cone Test (Inner fly)	No Leakage	No Leakage
4	Cone Test (outer fly)	No Leakage	No Leakage
5	Canvas (GSM) Inner (De-proof)	439.5	424.2
6	Canvas (GSM) Outer (De-proof)	480.5	523.6
7	Rot Proofing (inner)	Absent	Rot Proof
8	Rot Proofing (outer)	Absent	Rot Proof
9	Fire Retardant (Dyed Fabric)	Satisfactory	Satisfactory
10	Polyester wadding (Material)	Polyester	Polyester
11	Polyester wadding (GSM)	Av = 139.2	Av = 144.9
12	Yellow Lining (GSM with FR coating)	179.3	154.3
13	Material	Cotton	Cotton
14	Ground Sheet P.E Sheet (GSM)	Av = 179.3	Av = 153.4
15	Ground sheet Size(m)	4 x 4	4 x 4
16	Mad Flap size	10.7 inch	11.5 inch
17	Material of poles	Steel Pole	Steel Pole
18	Rust proofing	Poles	Painted
		Pegs large	Not Galvanized
		Pegs small	Galvanized

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)

Maj
GO Lab
(Muddassir Ahmad Khan)



ARMY STORES INSPECTION DEPOT

LAHORE

LAB TEST REPORT

Page 1 of 4



Nomenclature	Shelter Tents		Ref: No. 4219/ LAB/LID/
F/Note No.	No.F.2(11)2025-26/NDMA(Proc) Dated 26-12-2025		
Nature of Sample	Outer Agency	Temp= 21°C	Humidity= 65%
Lab No.		Specn	As per Att Data
Date Receipt	27-12-2025		
No of Sample	28	Date of Reporting	12 Jan 2025
Client Name:	M/S NDMA		

S#	DESCRIPTION	RESULTS				ACTIVE VISION (PVT) LTD
		Paramount Tapadir Industries	A-Farooq	Al-Fajar	Ent.	
AAA	ABA	ABC	ABZ			
1	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	i. No Leakage ii. Few Tiny Drops
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (outer fly)	Absent	Rot Proof	Rot Proof	Rot Proof	
4	Material of (outer fly)	Cotton	Poly Cotton	Cotton	Poly Cotton	
5	GSM Outer (De-proof)	608.3	605.7	583.9	596.7	
6	P.E Sheet (GSM)	247.9	218.7	221.8	240.4	

S#	DESCRIPTION	RESULTS				AMI Enterprises
		Ali Trading Corporation	Aryan's International	Arneka Int	BFF	
BAC	BCC	BDA				
1	Water proofing (outer fly)	No Leakage	No Leakage	i. No Leakage ii. Few Tiny Drops	No Leakage	
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	
3	Rot Proofing (outer fly)	Rot Proof	Rot Proof	Absent	Rot Proof	
4	Material of (outer fly)	Poly Cotton	Poly Cotton	Poly Cotton	Cotton	
5	GSM Outer (De-proof)	675.4	669.2	637.1	601.2	
6	P.E Sheet (GSM)	213.9	220.0	244.1	206.1	

Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT LAHORE



Page 2 of 4

S#	DESCRIPTION	RESULTS			
		Avan Traders BLM	Masis Int DAC	DUR	EME 8 Sons
1	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (outer fly)	Rot Proof	Rot Proof	Rot Proof	Absent /
4	Material of (outer fly)	Poly Cotton	Poly Cotton	Poly Cotton	Poly Cotton
5	GSM Outer (De-proof)	602.6	675.3	608.7	609.4
6	P.E Sheet (GSM)	220.9	227.5	243.3	230.3

S#	DESCRIPTION	RESULTS			
		Mohsin Ent. EMN	Blue Star Int. FEA	Cops Ent. FFD	Shabbir & Sons FDS
1	Water proofing (outer fly)	No Leakage	No Leakage	i. No Leakage ii. Few Tiny Drops	No Leakage
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (outer fly)	Rot Proof	Rot Proof	Absent /	Rot Proof
4	Material of (outer fly)	Poly Cotton	Poly Cotton	Poly Cotton	Cotton /
5	GSM Outer (De-proof)	673.4	717.4	622.7	659.5
6	P.E Sheet (GSM)	214.3	214.5	235.3	176.1

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT LAHORE



Page 3 of 4

S#	DESCRIPTION	Excel Tex Indus	Usman	RESULTS		Global Associates
		GAC	LLL Traders	FTS	LMN International	MNO
1	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (outer fly)	Rot Proof	Rot Proof	Rot Proof	Rot Proof	Rot Proof
4	Material of (outer fly)	Poly Cotton	Poly Cotton	Poly Cotton	Poly Cotton	Poly Cotton
5	GSM Outer (De-proof	609.3	671.7	668.4	670.5	
6	P.E Sheet (GSM)	237.4	224.7	240.0	226.4	

S#	DESCRIPTION	Hussian Enterprise	Trade line	RESULTS		M. Bilal Export
		NPL	PPP Corporation	SSS	PAK Rose Enterprises	SLA
1	Water proofing (outer fly)	i. No Leakage ii. Few Tiny Drops	No Leakage	i. No Leakage ii. Few Tiny Drops	No Leakage	
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (outer fly)	Absent	Rot Proof	Rot Proof	Absent	
4	Material of (outer fly)	Poly Cotton	Poly Cotton	Poly Cotton	Poly Cotton	Poly Cotton
5	GSM Outer (De-proof	621.0	656.9	628.5	613.6	
6	P.E Sheet (GSM)	241.2	245.5	246.1	202.8	

ISO 9001 - 2015

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)



ARMY STORES INSPECTION DEPOT

LAHORE



Page 4 of 4

S#	DESCRIPTION	RESULTS			
		SIN	TAC	YYY	ZZZ
1	Water proofing (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
2	Cone Test (outer fly)	No Leakage	No Leakage	No Leakage	No Leakage
3	Rot Proofing (outer fly)	Absent	Rot Proof	Rot Proof	Rot Proof
4	Material of (outer fly)	Poly Cotton	Poly Cotton	Poly Cotton	Poly Cotton
5	GSM Outer (De-proof)	580.6	680.0	670.1	609.5
6	P.E Sheet (GSM)	233.2	250.9	226.6	178.4

RA-I
Checked by
(Naeem Nasir)

RA-I
I/C Lab
(Imran Maqbool)

Maj
GO Lab
(Muddassir Ahmad Khan)

ISO 9001 - 2015