

GOVERNMENT OF PAKISTAN PRIME MINISTER'S OFFICE NATIONAL DISASTER MANAGEMENT AUTHORITY ISLAMABAD



Subject: <u>Monsoon Infrastructure Advisory – Pre-disaster Phase</u>

- 1. In 2022, Pakistan experienced devastating flood events that caused widespread destruction across the country, with Balochistan among the hardest-hit provinces. The floods submerged extensive areas, causing severe damage to both residential and public infrastructure. In Balochistan, 241,659 houses were damaged, while 2,222 km of roads and 58 bridges were either heavily disrupted, damaged or completely washed away. In particular, the districts of southern and central Balochistan incurred major losses, where inadequate infrastructure and challenging terrain exacerbated the impact. The scale of destruction displaced hundreds of thousands and contributed significantly to the estimated \$30 billion losses nationwide. The 2022 floods exposed critical weaknesses in the province's resilience, highlighting the urgent need for proactive measures to safeguard life and property for the anticipated 2025 monsoon season.
- 2. The Infrastructure Risk Atlas (2025), developed by Infrastructure Advisory and Project Development (IA&PD) wing of National Disaster Management Authority (NDMA), provides a comprehensive mapping of infrastructure vulnerabilities. It classifies residential buildings based on construction types and assesses their flood resilience. The following map highlights the districts of Balochistan that are most prone to infrastructure losses against floods. The Infrastructure Risk Atlas supports data-driven decision-making, prioritization of resources and the planning of structural mitigation efforts.

Based on the Infrastructure Risk Atlas, the following districts have been classified as "Most at Risk" against flood hazards:

Balochistan: Nasirabad, Jafarabad, Usta Muhammad, Qilla Saifullah, Pishin,
 Karezat, Harnai, Jhal Magsi, Qalat, Shaheed Sikandarabad




Figure 2: Risk map of Balochistan highlighting districts that are most prone to infrastructure damages against floods

According to NDMA's 3. assessment and projections, abovenormal activity monsoon is expected in northeastern and southern parts Balochistan from July to September 2025, significantly heightening the risk of flood-related hazards across the province. The likelihood of flash flooding particularly high in mountainous and hilly regions, such as Zhob, Barkhan, Bolan and Khuzdar, where steep terrain combined with intense rainfall can result in sudden and destructive surface runoff. flooding may also occur in major towns like Quetta, Sibi and Turbat, due to poor drainage systems and




Figure 1: Monsoon 2025 Average Rainfall Projection (Source NEOC, NDMA)

unplanned urban development. Moreover, riverine flooding along seasonal streams (nullahs) and floodplains, especially in eastern and southern districts such as Nasirabad, Jhal Magsi, Jaffarabad and Lasbela, poses a serious threat to both infrastructure and vulnerable communities. Given the widespread damage experienced during the 2022 floods, there is an urgent need to implement preemptive mitigation and preparedness measures across the province. Figure 2 shows the vulnerable districts that are expected to be affected during the monsoon season.

- 4. To enhance resilience against future flood events, it is strongly recommended that concerned departments initiate Infrastructure Audits in all districts of Balochistan which are classified as Most at Risk in the Fig. 1. These audits should focus on identifying structural deficiencies in public buildings, especially those constructed by using poor quality of materials, unreinforced masonry, or poorly maintained structures. The findings of these audits will serve as a foundation for retrofitting and reinforcement measures, enabling targeted investments to strengthen key infrastructure ahead of the monsoon season. By prioritizing retrofitting in schools, hospitals and government offices, the risk of structural collapse and loss of life during flooding events can be significantly reduced.
- 5. In the light of expected situation, the following actions are to be ensured for Residential and Public Buildings by all concerned Federal Ministries / Departments, respective Provincial Governments and their line departments:
 - a. All DDMAs and District Administration to undertake proactive monitoring to identify the Kacha houses (Mud Houses) in their districts and the estimated residents. These structures are expected to be damaged during the flooding. Shelter provision will be required for people occupying such structures.
 - b. Elevate the plinth of adobe houses with flood-resistant materials (brick or RCC fill) and reinforce roofs with bracing or metal / wooden trusses to prevent damage from rain.
 - c. Apply waterproof coatings, such as bituminous or lime-cement plaster, to the external walls and flood-resistant coatings or sealants to the lower portions of the walls up to a height of 1.5 meters.

- d. Place sandbags around the outer boundary of houses to act as a temporary barrier. This helps stop floodwater from reaching the building and protects the foundation and lower walls as well.
- e. Strengthen the riverbanks using protective methods such as retaining walls, riprap and geotextile reinforcement to stop them from breeching. This helps prevent river water from spilling into nearby low-lying areas, especially in flood-prone areas of Balochistan.
- f. Incorporate rainwater harvesting systems in public and residential buildings such as rooftop collection with storage tanks to reduce surface runoff and manage excess rainwater effectively during flood events.
- g. Retrofit public buildings such as schools, hospitals and offices for flood resilience by reinforcing structural elements with steel or concrete. Apply waterproof coatings, elevating critical utilities / equipment and strengthening roof structures.
- h. Incorporate diagonal bracing, shear walls or steel reinforcement for enhancing the structural integrity to prevent collapse under hydrostatic pressure or lateral loads from floodwater.
- 6. The following actions are to be ensured for Communication Infrastructure by all concerned Federal Ministries / Departments, respective Provincial Governments and their line departments:
 - a. Conduct thorough inspections of roads, bridges and drainage systems before the monsoon season.
 - b. Ensure that drainage systems are free of debris and functioning properly to prevent water accumulation on roads.
 - c. Strengthen vulnerable road sections and bridges, particularly those in floodprone areas.
 - d. Establish rapid response teams equipped to handle road and bridge repairs during and after floods.
 - e. Construct the emergency access tracks or bypass routes particularly in high-risk areas where the roads have higher probability of being washed away or blocked.
 - f. Ensure the development of SOPs and contingency plans for re-routing the traffic in the event of road closures.

- g. Install scour protection (such as gabions, riprap, reinforced concrete aprons) at the vulnerable bridge piers and abutments to reduce erosion during high flows. Moreover, retrofitting piers and abutments with RCC jackets or erosion-resistant materials is recommended.
- h. Retrofit and anchor bridge decks to prevent displacement due to high water velocities.
- i. Protect roads in the vulnerable hilly areas of Balochistan from landslides, it is advised to carry out slope stabilization through the construction of retaining walls, gabion structures, drainage improvements and the development of catch drains and check dams.
- j. All administrative authorities / DDMAs to ensure the cleaning of crossdrainage structures such as culverts, gutters, road drains and manholes to avoid choking and reduce surface runoff.
- 7. The following actions are to be ensured for Industrial Infrastructure by all concerned Federal Ministries / Departments, respective Provincial Governments and their line departments:
 - a. Establish clear evacuation routes and protocols for all employees.
 - b. Ensure that all drainage systems are clear of debris and fully operational to prevent waterlogging.
 - c. Elevate critical machinery and electrical installations above potential flood levels and waterproof essential equipment.
 - d. Set up reliable communication systems to receive real-time flood alerts from NDMA and other meteorological agencies.
 - e. Ensure the digitization and backup of critical operational records, drawings, client related data and other important documents off-site or on secure cloud platforms.
 - f. Establish direct lines of communication with local disaster management authorities and emergency services.
 - g. Secure hazardous waste and chemicals to prevent contamination during floods.
 - h. In case of fire incidents caused by short-circuits during flooding, install automatic circuit breakers and fire extinguishers at key locations and train staff in using firefighting equipment and safe electrical shutdown procedures.

- Conduct a structural integrity assessment of industrial buildings before the monsoon season to identify and retrofit weak points, ensuring the facility can withstand prolonged exposure to floodwaters and heavy rainfall.
- j. The concerned departments are instructed to follow the flood alert advisories issued from time to time.
- 8. Forwarded for information / necessary action by all concerned, please.